

Dear Friends,

We have teamed with industry leaders to offer

hard-to-find studio equipment and common printmaking supplies for your convenience. We will continue to add quality products for your studio and welcome any suggestions you may have.

Takach Press printmaking equipment has been designed for you, the printmaker, and we at Takach Press hope that you will soon experience the pleasure and satisfaction of pulling a print from one of our presses. As a testament to our quality we offer a 20 year written warranty on all new Takach etching and lithography presses.

We sincerely wish to thank all of our customers for your endorsements and continued support.











	- Lighten
21 Step Scale	
A	
Abrasives	25
Accu-Glide TM Serigraph Press	
Acid Storage Cabinets	
Akua Intaglio Inks	
Akua-Kolor Inks	
Akua Pin Press 20"	
Akua Water Based Ink	
Akua Wiping Fabric	
Aluminum Plate Backer	
AmerGraph Replacement Bulbs	
Ancolite Glaze Cleaner	
Anti Skin Papers, & Spray	
	35
Aqua Wash Charbonnel Ink	
Aqua Tint Screen	
Artex Film	
Asphaltum	
Automatic Tympan System	
В	
Ball Grained Litho Plates	24
Ball Ground	
Bed Cover	
BIG Etching Ground	
Black Line Washout Sinks	
Black Velvet Litho Ink	
Bone Folder	
Books & Videos	
Brayers	
Brayers & Inking Rollers	
Burins	30
Burnishers	
Burnt Plate Oil	39
C	
Cam Spray Pressure Washer	21
Carborundum Grit	25
Casters	3, 5, 11
Charbonnel Etching Ink	
	25, 36
Chine-collé Adhesive	
Citra-Solv	35

ea support.		-	1
Stephen	D. Jakoch		7
23, 27	Clearset Compound	37,	39
	Cobalt Drier		<u> 36</u>
25	Combination Press (Floor Model)		5
21	Combination Press (Table Top)		11
34	Copper Plates		26
40	Crayons		32
40	Custom Press Color	3, 5,	, 9
40	D		
40	Deburring Tool	,	26
40	Deletion Pens & Fluid		24
13	Developer Application Pad		24
s 22	Developer Powder		24
25	Dispensers	25,	
36	Dispensing Bottle (Flammable Liqu	-	
35	Drafting Film		23
38	Drafting Straight Edge & Tear Bar		17
23, 27	Drawing Films		23
23	Drier	36,	
25	Drying Racks		20
13	E		
	EAGLE Pos1	2	24
24	Easy Wipe		39
28, 29	E. C. Lyons Tools		30
12	Empty Ink Cans		37
28	Engraving Tools		30
21	Etching Base		39
37	Etching Blankets		12
17	Etching Grounds		28
41		, 39,	
15, 16	Etching Needles		30
14, 15	Etching Plates	26,	
30	Etching Presses (Floor Model)		, 3
30	Etching Presses (Table Top)		, 9
39	Etching Press Size Specifications		7
	Etching Tank, Ferric Chloride		28
	Etching Trays		28
21	Exposure Units		22
25	F	•••••••••••••••••••••••••••••••••••••••	
3, 5, 11	•		10
38	Felt Blankets		12
25, 36	Ferric Chloride		28
36	Film Opaquer Pens		
35	Films Artex, Mylar, Velvet Tone	4	23

Fine Art Paper Tear Bar 17
Fine Art Paper Tear Bar with Hinge 17
Flammable Storage Cabinets, Dispenser 34
Flash Oil 37
Flat Files 18
Floor Matting 18
Floor Model Press Casters 3, 5, 7
Floor Model Presses (Etching) 2, 3
Floor Model Presses (Litho) 4, 5
Floor Model Presses (Motorized) 6
Floor Model Press Specifications 7
FPC Finisher, Preserver Cleaner 24
French Chalk "Talc" 25
G
Gamblin Ink 37, 39
Gamsol 35
Glasses / Goggles 34
Gloves 34
Graphic Chemical Etching Ink 39
Graphic Chemical Litho Ink 36
Grease (Tympan) 13
Grit Dispenser 25
Gum Arabic 25
H
Hanco (Handschy) Litho Ink 37
Hand Cleaner 35
Hand Held Tympan Sheets 13
Hand Shear 27
Hard Ground 28, 29
Hot Plates 31
Hydraulic Studio Lift 25
I
Image Addition & Remover Pens 24
ImagOn TM HD Photopolymer Film 27
Ink 36, 37, 39, 40
Inking Rollers & Brayers 14, 15, 16
Ink Knives, Scraper, Spreader 36, 37
Instructional Books & Videos 41
J
Justrite Storage & Dispensing 34

K		Porta-Trace Light Tables & Boxes	23	Sponges	25
Kimwipes	34, 36	Positive Litho Plates & Chemistry	24	Spray Bottle	35
KIM Photopolymer Plates	27	Positive Plate Developer Powder	24	Stabilo Pencil 23,	33
Korn's Litho Materials	32, 33	Powdered Rosin	25, 28	Stones Litho Materials 32,	33
Kutrimmer Plate Cutter	32, <u>33</u> 19	Powder Shakers	25	Stones (Litho)	29
Kutrimmer Plate Cutter	19	Precision Straight Edges	25	Stopout Resist & Varnish	28
L		Press Bed Covers	12	Storage Bags	17
Laser Plates	27	Press Casters	3, 5, 11	Stouffer Step Test Scale 23, 24,	27
Leather Roller & Scraper	14	Press Lubrication Kits	7	Straight Edge (Precision)	25
Levigator	25	Press Pricing 3, 5, 6, 8, 9	, 10, 11	Straight Edge 17,	25
Light Tables & Boxes	23	Press Registration Grids	12	Studio Lift	25
Linen Tester	23	Press Support Bench	11	Support Bench	11
Linoleum Gray Unmounted	26	Pressure Washer	21	Support Bench Casters	11
Linoleum Tool Set	26, 30	Print Storage Bags	17		36
Litho Chemistry	24, 25	Protective Bed Cover	12	Synchronized Pressure System 3	, 9
Litho Crayons	32	Punch Registration System & Pins	16	T	J
Litho Fan	25	Puretch Photopolymer Etching Resi			
Litho Ink	36, 37	Putz Pomade	26		, 9
Litho Plates	24			Table Top Presses (Litho) 10,	
Litho Presses (Floor Model)	4	R		Table Top Press Specifications	
Litho Presses (Table Top)	10	Razor Scraper	36, 37		39
Litho Sponges	25	Registration Grids	12		25
Litho Stones	29	Registration System & Pins	16		25
Lithotine	25	Relief Ink	39, 40		36
Litho Tusche	33	Replacement Automatic Tympan Sh		***************************************	17
Litho Varnish	36	Replacement Bulbs	22	Tint Base 36, 37, 38, 39,	
Loupe	23	Replacement Scraper Bar Straps			27
Lubrication Kits	7	Replacement Sink Filter	21		<u>35</u>
		Replacement Roller Handles	16	Trays 11,	
M		Rice Starch	36		24
Magnesium Carbonate	36, 39	Richard Razor Scraper 🙅	36, 37		33
Magnetic Registration Support	27	Roller Cuffs	16		37
Magnifier	23	Rollers and Brayers 14	, 15, 16	Tympan Grease	13
Matte Film	23	Roller Wash	35	Tympans	13
Mezzotint Plates	26	Rosin	25, 28	U	
Mezzotint Rocker	30	Rotational Blanket System	3, 9	_	22
Monotype Plates	26	Roulettes	30		23 28
Motorized Press	6	Rubylith	23	Universal Etening Ground	<u> </u>
Mylar Film	23	Russell Ink Knives	36, 37	V	
Ň		S		Varn 120 Roller Wash	35
	40		10	Velvet Tone Drawing Film	23
Needle Applicators	40	SAFCO Flat Files	18	Vertical Etching Tank, Ferric Chloride	28
NuArc Exposure Units	22	Safety Gloves, Glasses and Goggles			41
O		Scraper Bars	13	$\overline{\mathbf{W}}$	
Opaquer Pens	23, 33	Scrapers	30, 36		21
P	***************************************	Screen Printing Exposure Units	22		21
	4.0	Screen Printing Presses	21		36
Paper Cutter	19	Screen Printing Washout Sinks	21		26
Paper Soaking Trays (Etching Tray		Senefelder's Liquid Asphaltum	25	Wipes 34,	
Paper Storage Bags	17	Seri-Glide TM Serigraph Press	21		39
PETG Plate	26	Setswell Compound	36		30
Photo Etching Plates & Films	27	Shakers	25		11
Photo Litho Plate	24	Shears	19	Z	
Photopolymer Plates & Films	27	Shop Towels	34, 36		28
Plate Backers	13	Sink	21		39
Plate Cutters (Shears)	19	Siphon Pump	28	Zig Opaque Pens 23,	
Plate Deburring Tool	26	Smart Plate	27		26
Plate Maker Tool Set	30	Snake Slip	33	Cover art by:	<u>U</u>
Plate Oil	39	Soda Ash (Sodium Carbonate)	27	Mark Wallis	
Plate Shears	19	Soft Ground	28	www.marklesparkles.com	n
Plate Supports (Backers)	13	Solarplate	27	www.markiesparkies.com	.1
Polycarbonate Plate	26	Soy Solv II	35		
Polyester Litho Plates	27	Speedball Brayers	16	V2 7518	
				AT	





Press Bed

Three inch thick, staggered grain, hard rock maple wood is the core of our press bed. All wood sections are relief cut according to manufacturer's

specifications to eliminate bed warp. Bed sections are joined with ¾" diameter steel pins. The working surface and underside of the press bed are protected by a ¼" precision ground aluminum plate with a phenolic-resin outer layer. This working surface can withstand all chemicals used in the printing process and very high pressure without embossment problems or loss of printing pressure.



Bed Leveling Eccentric Bearings Independently adjustable precision ball bearings support the press

ball bearings support the press bed and eliminate uneven printing pressure. These bearings, in

conjunction with Nylatron wear strips attached to each side frame, ensuring minimal bed friction. These features provide ultra-smooth bed travel.



Internal Bed Stop

The bed stop secures the moving press bed to the press frame, allows full press bed travel and maximizes the available printing area. The internal placement of the bed stop minimize dangerous pinch points.

Finish

Page 2

Press parts are protected by either nickel plating, anodizing, powder coating or high quality paint.



Pressure System

Hardened steel pressure screws adjust printing pressure by raising and lowering the upper pressure drum. Micrometer pressure dials are standard with each press.

Micrometers establish even pressure and repeatability. The upper pressure drum may be raised up to a full 1 1/4" above the bed for relief printing.

Frame Unit

Steel tubing with a heavy 3/16" wall is bolted and MIG welded for maximum strength. The lower frame unit may be fully disassembled if necessary.

Pressure and Drive Drums

Two large diameter drums aid the user tremendously when heavy pressure is being used during the printing process. Nickel plating protects the surface of the drums, preventing rusting to minimize maintenance. Welded drum shaft, support baffles, and heavy wall 10 ¾" diameter tubing are machined to precise specifications to perform as a concentric unit. The bearing housings are heavy duty and self aligning which provides maximum support for the drums.

Bed Drive System

A double reduction chain and sprocket drive system makes hand cranking effortless. The user is protected from moving parts of the bed drive system by a brushed stainless steel chainguard.

Motorized drive systems are also available.

Floor Model Etching Press Pricing

Floor Model	2648	3460	4072	4484	4896
Bed Size	26" x 48"	34" x 60"	40" x 72"	44" x 84"	48" x 96"
Hand Operated	Item#0502648	Item#0503460	Item#0504072	Item#0504484	Item#0504896
Etching Press	\$12,537	\$15,267	\$17,189	\$20,433	\$23,804

Motorized Press Pricing: Page 6 Combination Press Pricing: Page 5

Floor Model Etching Press Options



Synchronized Pressure System

This optional design allows accurate adjustment of printing pressure from a single side of the printing press. This eliminates the need to walk around or reach across the press each time you adjust printing pressure. In place of

micrometer pressure dials a torque wrench (included) is used to establish even pressure and repeatability. *Only new press purchases.

Item#	Use with Press Model	Price
19126	2648	\$1,265
19134	3460	\$1,340
19140	4072	\$1,490
19144	4484	\$1,645
19148	4896	\$1,715



Rotational Blanket System

This optional feature includes the synchronized pressure system. The rotational blanket system eliminates the need to lift the blankets off the press bed to retrieve your artwork, plate, etc. The blankets are wrapped

around a stainless steel hoop mounted above the pressure drum. As the press bed moves, the blankets rotate with the upper pressure drum. Readjustment of blanket tensions is not required when printing pressure is adjusted. The blankets are secured around the upper cylinder with Velcro sewn to blanket ends.

Prices includes

- Synchronized pressure system
- Mounted stainless steel hoop
- One set of three custom length felt blankets (sizing catcher, pusher and cushion)

/ 1	
Use with Press Model	Price
2648	\$1,990
3460	\$2,195
4072	\$2,595
4484	\$2,995
4896	\$3,390
	2648 3460 4072 4484



Captain's Wheel

An optional 36" diameter captain's wheel replaces the standard crank handle.

Item # 19036 \$345



Floor Model Press Locking Swivel Casters

Custom built casters aid the transportation of floor model presses. Each individual caster is rated to carry a load up to 900 lb.


Item #1221 set of 4 \$425



Custom Press Color

A durable black and metallic silver powder coat finish is standard. Hundreds of colors available.

http://www.takachpress.com/Custom/Colors.htm





Floor model etching press shown with optional • Synchronized pressure system • Rotational blanket system • Captain's wheel

If you have questions about customizing your etching press please call or E-mail our sales staff. We will be glad to discuss the options.



Takach Floor Model Litho Press

Press Bed

Three inch thick, staggered grain, hard rock maple wood is the core of our press bed. All wood sections are relief cut according to manufacturer's specifications to eliminate bed warp. Bed sections are joined with 3/4" diameter steel pins. A neoprene rubber stone cushion and a galvanized steel cover make up the working surface. This durable surface resists the chemicals used in the printing process.



Bed Leveling Eccentric Bearing Precision ball bearings are factory set to achieve absolute parallelism between the press bed and drive drum, eliminating uneven printing

pressure and reducing stone breakage.

Internal Bed Stop

The placement of the internal bed stop minimize dangerous pinch points while securing the press bed to the frame and maximizing the available printing area.



Locking Press Bed

The press bed is locked into the inking position by the bed latch. Leaning against or bumping the lock bar while


inking will not cause the lock system to release.

Frame Unit

Steel tubing with a heavy 3/16" wall is bolted and MIG welded for maximum strength. The lower frame unit may be fully disassembled if necessary.

Finish

Press parts are protected by either nickel plating, anodizing, powder coating or high quality paint.



The finest quality hand machined parts ensure ease of operation when applying printing pressure. The pressure system consists of 1" diameter hardened steel pins, custom machined connecting rods, piston and pressure cylinder, and

permanently lubricated fiberglide bearings. This system will accommodate stones and plate backers ranging in thickness from ½" to 4 ½".

Drive Drum

Heavy duty housings and self aligning bearings provides maximum support for the drum. Nickel plating protects the surface of the drum, preventing rusting to minimize maintenance. Welded drum shaft, support baffles, and heavy wall 10 ¾" diameter tubing are machined to precise specifications to perform as a concentric unit.

Bed Drive System

A double reduction chain and sprocket drive system makes hand cranking effortless. The user is protected from moving parts of the bed drive system by a brushed stainless steel chainguard.

Motorized drive systems are also available.

Freewheeling Crank

A spring loaded clutch pin disengages the crank from the bed drive system allowing it to free wheel while the press bed is manually moved into or out of the

inking position. This feature reduces the likelihood of injury from a spinning crank.

1-800-248-3460

Floor Model Litho Press Pricing

Floor Model	2648	3460	4072	4484	4896
Bed Size	26" x 48"	34" x 60"	40" x 72"	44" x 84"	48" x 96"
Hand Operated	Item#0602648	Item#0603460	Item#0604072	Item#0604484	Item#0604896
Litho Press	\$14,957	\$17,567	\$21,567	\$25,662	\$29,705

Motorized Press Pricing: Page 6

Floor Model Litho Press Options



Floor Model Press Locking Swivel Casters

Custom built casters aid the transportation of floor model presses. Each individual caster is rated to carry a load up to 900 lb.

Item #1221

set of 4 \$425



Custom Press Color

A durable black and metallic silver powder coat finish is standard. Hundreds of colors available.

http://www.takachpress.com/Custom/Colors.htm









Floor Model Combination Press

Combination Etching/Litho Press

A combination press comes with both etching and litho heads. You can switch from one to the other quickly and easily by hand or with the added convenience of a transfer and storage table.



Transfer & Storage Table

Switching between litho and etching pressure heads is facilitated by the transfer table. The first head is rolled off of the press and onto the table, the table is rotated 180° and the second head is rolled onto the press, bolted down and ready to print. This eliminates the need to lift the pressure head. Each head bolts securely onto the table for safe storage. High quality locking casters included.

Item #1020 \$1,375



Floor Model	2648	3460	4072	4484	4896
Bed Size	26" x 48"	34" x 60"	40" x 72"	44" x 84"	48" x 96"
Combination	Item#0702648	Item#0703460	Item#0704072	Item#0704484	Item#0704896
Etching Press	\$20,202	\$22,974	\$27,174	\$32,256	\$37,475
& Litho Press	\$20,202	ΦΔΔ,7 / 1	φ4/,1/4	\$32,230	φυι,4ιυ

Takach Variable Speed Motorized Presses

Variable speed bed drive systems are designed and produced exclusively by Takach Press Corporation for the experienced printer. These motor driven, variable speed systems are available for etching and litho floor model presses. A motorized bed drive system saves the user time and effort, especially when printing large editions, calendaring paper, and prolonged use.

Motor driven presses include all the quality features of hand operated models. The features listed below replace the bed latch on litho presses, and the hand crank on litho and etching presses.



Controller

• Constant torque with infinite bed speed control that ranges from 0" to 8" per second for litho presses and 0" to 4.25" per second for etching presses.

• Soft start acceleration control

• High speed reverse returns the bed to the inking position at maximum speed

• Dynamic braking increases braking performance



Permanent magnet motor provides maximum performance





- The bed position limit switch stops the press bed
- Start and stop points are set by the user and allow complete control of bed travel length
- Far ends of the press bed are factory set to trigger the limit switch and stop the press bed travel

Other Features

- The press bed may be operated at high speed in either direction.
- Press bed speed may be varied at any point during the printing cycle to maximize performance

Power Required (Most Models)

- 115 volts at 15 amps
- No costly rewiring is needed
- Common household current powers this system
- May be wired to meet international requirements

Motorized Etching Press Safety Guard System

(Etching presses only) Pinch point safety guards are mounted on

each side of the pressure drum. They move up and down with the pressure drum, remaining a constant distance above the work placed on the press bed. If necessary, the guard will automatically shut down the motor drive, preventing injury. *Motorized etching presses not available to universities for undergraduate printmaking courses. *Not available with rotational blanket system, as it interferes with safety switches.

77 77 11 1240					
Floor Model	2648	3460	4072	4484	4896
Vari-Speed Press					
Bed Size	26" x 48"	34" x 60"	40" x 72"	44" x 84"	48" x 96"
Motorized	Item#0512648	Item#0513460	Item#0514072	Item#0514484	Item#0514896
Etching Press	\$18,470	\$20,612	\$22,649	\$25,631	\$29,600
Motorized	Item#0612648	Item#0613460	Item#0614072	Item#0614484	Item#0614896
Litho Press	\$20,034	\$21,767	\$26,082	\$30,292	\$34,535

Floor Model Press Specifications

	Etching or Litho Press	26 x 48	34 x 60	40 x 72	44 x 84	48 x 96
Overall Heigh	t Etching	50 ½"	50 ½"	50 ½"	50 ½"	50 ½"
Overall Heigh	t Litho	57"	57"	57"	57"	57"
Frame Length	Etching	76"	76"	96"	96"	120"
Frame Length	Litho	81 ½"	97 ½"	121 ½"	133 ½"	157 ½"
Overall Width	Both	44 ½"	52 ½"	58 ½"	62 ½"	66 ½"
Frame Width	Both	30"	38"	44"	48"	52"
Frame Height	Both	30 ½"	30 ½"	30 ½"	30 ½"	30 ½"
Bed Length	Both	48"	60"	72"	84"	96"
Bed Width	Both	25 ½"	33 ½"	39 ½"	43 ½"	47 ½"
Bed Height	Both	32"	32"	32"	32"	32"
Drum Length	Both	25 ½"	33 ½"	39 ½"	43 ½"	47 ½"
Drum Diamet	er Both	10 ¾"	10 ¾"	10 ¾"	10 ¾"	10 3/4"
Press Weight	Etching	810 lb	1,025 lb	1,430 lb	1,600 lb	1,918 lb
Press Weight	Litho	762 lb	1,013 lb	1,180 lb	1,521 lb	1,910 lb
· ·						

Table Top Press Specifications

Table Top 1 1 css	Specifications					
	Etching or Litho Press	18 x 36	24 x 36	24 x 48	30 x 48	30 x 60
Overall Height	Both	19"	19"	19"	19"	19"
Overall Height or	n Bench Both	51"	51"	51"	51"	51"
Frame Length	Both	36"	36"	48"	48"	60"
Frame Width	Both	19 ¾"	25 ¾"	25 ¾"	31 ¾"	31 ¾"
Overall Width	Both	32"	42"	42"	48"	48"
Frame Height	Both	5"	5"	5"	5"	5"
Bed Length	Both	36"	36"	48"	48"	60"
Bed Width	Both	18"	24"	24"	30"	30"
Bed Height	Both	5 1/4"	5 1/4"	5 1/4"	5 1/4"	5 1/4"
Drum Length	Both	18"	24"	24"	30"	30"
Lower Drum Dia	meter Both	4 ½"	4 ½"	4 ½"	4 ½"	4 ½"
Press Weight E	tching (4 ½" upper drum)	220 lb	270 lb	295 lb	335 lb	370 lb
Press Weight E	tching (7 ½" upper drum)	260 lb	325 lb	330 lb	380 lb	415 lb
Press Weight	Litho	240 lb	345 lb	370 lb	405 lb	435 lb



Press Lubrication Kit

For basic lubrication maintenance of your press. Kit includes: grease gun with 14 oz grease cartridge and 4 oz zoom spout oiler.



Floor Model Press Locking Swivel Casters

Custom built casters aid the transportation of floor model presses. Each individual caster is rated to carry a load up to 900 lb.

Item #1221 set of 4 \$425

Item #121 \$42

Lubrication Kit Replacement Supplies

14 oz grease cartridge that fits the grease gun provided in press lubrication kit. (3 oz cartridges discontinued)

Item #1211	4 oz zoom spout oiler	\$3
	14 oz grease cartridge	\$7
	grease gun (grease not included)	\$32



Item #1220

Support Bench Locking Swivel Casters

Use to aid in transporting the support bench for table top presses. Each individual 4 ½" tall locking caster is rated to carry a load up to 300 lb.

set of 4 \$125



"During my 24 years of professional printmaking, I have worked on more than 10 brands of etching presses... In terms of performance, reliability, quality engineering, space efficient design, safety features, durability and customer relations, Takach Press Corporation stands alone... Ironically, presses of lesser quality, can cost considerably more."

 Kathy DeAtley, Owner, DeAtley Editions Riverside, California

> Takach table top etching presses produce the highest quality fine art prints including:

- Aquatint & Mezzotint
- Collagraph
- Copper & Zinc Plate
- Linoleum Block
- Monotype
- Photopolymer
- Wood Cut

Takach Table Top Etching Press

Takach table top presses are engineered to meet all the high quality standards of a floor model press in a smaller, compact design and are combo capable.

Press Bed


The extremely flat press bed is durable and chemical resistant, made of a ½" thick precision ground aluminum plate with a phenolic-resin sheet bonded to the top and bottom.



Bed Leveling Bearings


Precision ball bearings are factory set to achieve absolute parallelism between the press bed and drive drum, eliminating uneven printing pressure. The

additional polyethylene wear strips ensure minimal bed friction, and ultra smooth bed travel.



Internal Bed Stop

Designed to minimize dangerous pinch points while securing the press bed to the frame and maximizing the available printing area.



Micrometer dials are a standard feature used to precisely measure the adjustment of the upper pressure drum. They establish even pressure and allow for repeatability.

Pressure Drums

Nickel plating protects the surface of the large diameter drums, preventing rusting and eliminating the need for waxing. Choose from 7 ½" or 4 ½" diameter upper drum



Bed Drive System

A double reduction chain and sprocket drive system makes hand cranking effortless even under extreme pressure. The user

is protected from moving parts of the bed drive system by a clear chainguard.

Finish

A durable powder coated finish protects metal parts from oxidation and is easily cleaned.


Table Top Model	1836	2436	2448	3048	3060
Bed Size	18" x 36"	24" x 36"	24" x 48"	30" x 48"	30" x 60"
Etching Press	Item#0001836	Item#0002436	Item#0002448	Item#0003048	Item#0003060
4 ½" Upper Drum	\$4,148	\$5,471	\$6,006	\$7,392	\$7,833
Etching Press	Item#00018367	Item#00024367	Item#00024487	Item#00030487	Item#00030607
7 ½" Upper Drum	\$4,673	\$6,122	\$6,573	\$7,938	\$8,369

Table Top Etching Press Options



Table Top Upper Drum Option

Upgrade the standard 4 ½" to a 7 ½" diameter drum. A larger diameter drum increases the contact surface area between the pressure drum and printing plate. The larger 7 1/2" diameter drum climbs onto the printing plate and felts easier than the 4 1/2" diameter drum, allowing the user to print with heavier pressure, using less effort and obtaining better results.



10 34" diameter drum available on Takach floor model etching presses. 7 ½" & 4 ½" diameter drums available on Takach table top etching presses.



Captain's Wheel for Table Top Press

An option on new presses. This 20" diameter captain's wheel replaces the standard crank handle.

Item # 19020 \$175



Synchronized Pressure System

This optional design allows accurate adjustment of printing pressure

from a single side of the printing press. This eliminates the need to walk around or reach across the press to adjust printing pressure. The press can be placed against a wall, saving studio space. In place of micrometer pressure dials a torque wrench (included) is used to establish even pressure and repeatability.

*Only new press purchases with 7 ½" drum.

Item#	Use With Press Model	Price
19118	1836	\$695
19124	2436	\$735
19124	2448	\$735
19130	3048	\$760
19130	3060	\$760



Rotational Blanket System

This optional feature includes the synchronized pressure system. The rotational blanket system eliminates the need to lift the blankets off the press bed to retrieve your artwork, plate, etc. The blankets are wrapped around a stainless

steel hoop mounted above the pressure drum. As the press bed moves, the blankets rotate with the upper pressure drum. Readjustment of blanket tensions is not required when printing pressure is adjusted. The blankets are secured around the upper cylinder with Velcro sewn to blanket ends.

*Only new press purchases with 7 ½" drum.

Prices includes

- Synchronized pressure system
- Mounted stainless steel hoop
- One set of three custom length felt blankets (sizing catcher, pusher and cushion)

Item #	Use With Press Model	Price
1921836	1836	\$1,195
1922436	2436	\$1,270
1922448	2448	\$1,320
1923048	3048	\$1,450
1923060	3060	\$1,565




A durable antique white powder coat finish is standard. Hundreds of colors available.

http://www.takachpress.com/Custom/Colors.htm





- Takach table top etching press shown with optional:
 7 ½" Upper Drum (36"Captain's wheel shown. Now 20")
 Synchronized pressure system Rotational blanket system
 Support bench with additional shelf



Takach Table Top Lithography Press

Press Bed

The extremely flat press bed is durable and chemical resistant made of a ½" thick precision ground aluminum plate with a phenolic-resin sheet bonded to the top and bottom. This surface acts as a press bed and a plate backer in one.



Internal Bed Stop

Designed to minimize dangerous pinch points while securing the press bed to the frame and maximizing the available printing area.



Locking Press Bed

When the press bed is moved to the inking position the bed latch is manually put into place to secure the bed from moving.



Bed Drive System

A double reduction chain and sprocket drive system makes hand cranking effortless even under

extreme pressure. Polyethylene wear strips attached to each side frame ensure minimal bed friction. The user is protected from moving parts of the bed drive system by a clear chainguard.



Pressure System

The table top litho pressure system is engineered with the proven design elements of a full size floor model

press. Both utilize 1" diameter hardened steel pins and permanently lubricated fiber glide bearings. The upper pressure head can print plates in the lower position (from 0"-2") or be raised two inches to a higher position to accommodate stones (from 2"-4").



Scraper Bar Housing

Standard 34" scraper bars are easily slid into the housing from the side and secured in place. Print pressure is set and secured with the lock knob.

Frame Unit

The sturdy lower press frame consists of precisely machined 34" x 5" aluminum sides with 1" diameter cross bars joining them. An aluminum frame provides maximum strength, yet reduces the press weight considerably, making it a more mobile unit.

Finish

A durable powder coated finish protects metal parts from oxidation and is easily cleaned. Custom colors available.

Table Top Model	1836	2436	2448	3048	3060
Bed Size	18" x 36"	24" x 36"	24" x 48"	30" x 48"	30" x 60"
Litho Press	Item#0101836	Item#0102436	Item#0102448	Item#0103048	Item#0103060
(combo capable)	\$5,198	\$6,573	\$6,836	\$8,264	\$9,366

Table Top Combination Press

Combination Capable

Current table top presses are all combination capable at no additional charge. This means you can purchase either an etching or litho table top press and at a later date purchase the second head, giving you a complete combination press. Call for pricing of second head.

Full Combination Press

This set includes the full frame and bed of a table top press with interchangeable full size litho and etching heads. Etching heads are available in either a 4 ½" or 7 ½" diameter upper pressure drum. Custom colors, press synchronized pressure system and rotational blanket system are all available with this set.




Table Top Model	1836	2436	2448	3048	3060
Bed Size	18" x 36"	24" x 36"	24" x 48"	30" x 48"	30" x 60"
Combination Press 4 1/2" Upper Drum	Item#0201836	Item#0202436	Item#0202448	Item#0203048	Item#0203060
	\$7,529	\$7,938	\$8,264	\$9,797	\$11,015
Combination Press 7 1/2" Upper Drum	Item#02018367	Item#02024367	Item#02024487	Item#02030487	Item#02030607
	\$8,106	\$8,537	\$9,083	\$10,353	\$11,771

Table Top Press Support Bench



Table Top Press Support Bench

This beautiful and durable 1 ¾" maple wood top is attached to a cross-braced steel table frame and can be used as a support table for table top presses or as a work bench for the studio. One lower shelf comes standard. Additional shelves may be added, as well as swivel casters for mobility.

Item#	Fits Press Models	Dimensions	Price
1001	1836, 2436, 2448	30" x 48" x 30"	\$635
1003	3048, 3060	36" x 60" x 30"	\$825

Additional Shelves

1 or 2 factory installed shelves may be added.

Item #1016	use with table 1001	\$180 each
Item #1017	use with table 1003	\$195 each



Stainless Steel Tool Tray

This addition holds your favorite tools within arms reach. Factory installed or purchased separately and installed on existing support benches or presses with

common household tools. 22"L x 4"W x 4"D Item #1025

\$55



Locking Swivel Casters

Use to aid in transporting the support bench for table top presses. Each individual 4 ½" tall locking caster is rated to carry a load up to 300 lb.

Item #1220 set of 4 \$125



Takach table top litho press, shown on support bench.



Etching Blankets: Very high quality 100% wool felt. No synthetic polyester or nylon blends. Sizing Catcher: This ½6" thick felt is available woven or pressed. Pressed is standard. Pusher Blanket: This ½" thick woven material resists the abrasive action of the upper press drum. Cushion Blanket: This ½" thick pressed felt creates wonderful embossments. Set of 3: 1 sizing catcher, 1 pusher blanket, and 1 cushion blanket. Set of 4: Set of 3 plus additional sizing catcher. 2 sizing catchers eliminate downtime if sizing catcher becomes soiled. Blankets may be dry-cleaned. Special Size Blankets: Please select next larger size. We will cut the blanket down to your specifications at no additional charge as a complimentary service.

			_										
	Sizing C	atcher: 1	⁄16"	Pusher:	1/8"	Cushion	1/4"	Set of 3			Set of 4		
Size	Pressed	Woven		Woven		Pressed		Pressed	Woven		Pressed	Woven	
Table Top	Etching Pr	ess Felt Bla	ankets										
18" x 36"	1601836	1651836	\$39	1611836	\$46	1621836	\$53	1631836	1661836	\$139	1641836	1671836	\$178
24" x 36"	1602436	1652436	\$52	1612436	\$61	1622436	\$71	1632436	1662436	\$185	1642436	1672436	\$237
24" x 48"	1602448	1652448	\$69	1612448	\$82	1622448	\$95	1632448	1662448	\$247	1642448	1672448	\$316
30" x 48"	1603048	1653048	\$87	1613048	\$103	1623048	\$118	1633048	1663048	\$308	1643048	1673048	\$395
30" x 60"	1603060	1653060	\$109	1613060	\$128	1623060	\$148	1633060	1663060	\$385	1643060	1673060	\$494
Floor Mod	lel Etching	Press Felt	Blanket	s									
25" x 48"	1602648	1652648	\$72	1612648	\$86	1622648	\$99	1632648	1662648	\$257	1642648	1672648	\$330
33" x 60"	1603460	1653460	\$119	1613460	\$141	1623460	\$163	1633460	1663460	\$424	1643460	1673460	\$543
39" x 72"	1604072	1654072	\$169	1614072	\$199	1624072	\$231	1634072	1664072	\$599	1644072	1674072	\$768
43" x 84"	1604484	1654484	\$218	1614484	\$259	1624484	\$298	1634484	1664484	\$775	1644484	1674484	\$993
47" x 96"	1604896	1654896	\$273	1614896	\$322	1624896	\$372	1634896	1664896	\$967	1644896	1674896	\$1,240




Registration Grids

This grid is custom printed on paper stock. A center line running the length and width is calibrated every 1/8" for easy and accurate registration. A square grid pattern is also finely printed over the whole sheet. The user can mark their favorite plate and paper sizes. We highly recommend covering registration grids with a protective bed cover.

Table Top Etching Press Registration Grid							
Size	Item #	Price					
18" x 36"	151836	\$15.00					
24" x 36"	152436	\$17.00					
24" x 48"	152448	\$18.50					
30" x 48"	153048	\$20.50					
30" x 60"	153060	\$22.50					

Floor Model Etching Press Registration Grid							
Size	Item #	Price					
25.5" x 48"	152648	\$19.00					
33.5" x 60"	153460	\$25.00					
39 ⁷ / ₁₆ " x 72"	154072	\$28.00					
43 ⁷ / ₁₆ " x 84"	154484	\$30.00					
47 1/16" x 96"	154896	\$35.00					



Protective Bed Covers

There are two types of material offered in two thicknesses for a bed cover.

Polycarbonate: The preferred cover. This material will not crack under pressure like acrylic. However, under heavy pressures polycarbonate will become slightly spongy, causing a minor loss of printing pressure. It is therefore not recommended for use with copper plate photogravure. **Acrylic:** Not as durable as polycarbonate. Recommended for use with heavy pressure applications. **Acrylic must ship flat. Oversize charges may apply.*

	.062 Polyca	rbonate	.093" Poly	carbonate	.125 Acryli	c*	.250" Acı	ylic*
Size	Item #	Price	Item#	Price	Item #	Price	Item #	Price
Table Top E	tching Press	Protective	Bed Cover	S			-	
18" x 36"	1111836	\$32	1121836	\$38	1131836	\$38		N/A
24" x 36"	1112436	\$39	1122436	\$45	1132436	\$45		N/A
24" x 48"	1112448	\$47	1122448	\$55	1132448	\$55		N/A
30" x 48"	1113048	\$56	1123048	\$69	1133048	\$69		N/A
30" x 60"	1113060	\$66			1133060	\$85		N/A
Floor Mode	l Etching Pro	ess Protecti	ve Bed Cov	ers				
25 ½" x 48"	1112648	\$57	1122648	\$66	1132648	\$66	1142648	\$96
33 ½" x 60"	1113360	\$78	1123460	\$96	1133460	\$96	1143460	\$127
39 ½" x 72"	1114072	\$99	1124072	\$135	1134072	\$135	1144072	\$159
43 ½" x 84"	1114484	\$135	1124484	\$180	1134484	\$180	1144484	\$198
47 ½" x 96"	1114896	\$146	1124896	\$196	1134896	\$196	1144896	\$217



Scraper Bars

Used in lithographic printing, scraper bars are beveled along one side to create a consistent

printed impression. Straps are installed on both polyethylene and maple scraper bars with a new UHMW plastic that outperforms previous materials. Replacement straps are sold separately. Scraper bars are ¾" thick and sold individually by the inch or as custom length sets. **Polyethylene** scraper bars are made of a durable material that won't bow or bend even under high pressure. Traditional wooden scraper



bars are made of the same hard rock **maple** as our press beds and provide many years of dependable use.

Scraper Bar Sets

Select scraper bar lengths that work for your stone and plate sizes. Scraper bars are usually larger than the paper size but smaller than the matrix. Select a variety of length sizes that equal one of the three set length totals listed below. The largest scraper bar produced is 48". (Sets save 10% compared to the per inch price)

Scraper Bar Set	Polyetl	hylene	-	Maple	
Set Length	Item#	Price		Item#	Price
114"	1310	\$200		1311	\$250
130"	1320	\$228		1312	\$284
170"	1330	\$298		1313	\$371

Individual Scraper Bars

Length determines Item # for individual scraper bars. For example:

To order a 12" maple bar use Item #1301<u>120</u> To order a 12 ½" maple bar use Item #1301<u>125</u>

	Polyet	hylene	Maple	
	Item#	Price	Item#	Price
per inch	1300	\$1.95	1301	\$2.30
· .	–			_

Scraper Bar Replacement Straps

Each replacement strap is 48" long, cut to length and installed by the user with easy-to-follow instructions.

•		•	
Item #13848	4' strap	(10 strap minimum)	\$4
Item #138100	100' roll	` /	\$85

Scraper Bar Replane And Restrap

Damaged scraper bars may be sent in to be resurfaced and restraped to a like-new condition.

 Item #139
 any length scraper bar
 \$16 each



Tympan Grease

This biodegradable grease is suited to work with our scraper bars and tympans. Item #144 1 lb. can. \$1



Aluminum Plate Backer

Precision ground on both sides, this 1" thick aluminum backer features a durable phenolic resin coated work surface that prevents scratching, is

easily cleaned, and eliminates oxidation. Aluminum plate backers are necessary to protect the litho press bed surface and support the plate.

Custom plate backer sizes available upon request.

Item#	Size	Weight	Price
172636	25 ½" x 36"	90 lb	\$1,195
173040	30" x 40"	120 lb	\$1,295
173648	36" x 48"	170 lb	\$1,850
173351	33" x 51"	178 lb	\$1,945
173964	39" x 64"	249 lb	\$2,880

Hand Held Tympan Sheets

Used in lithographic printing, tympans are thin sheets of plastic that protect the paper and newsprint as the scraper bar passes over them. Tympans are available in two materials: a .062" Polycarbonate (1/16") and a .032" G-10 (1/32"). Both are available in four sizes. Custom sizes up to 48" x 96" are also available.

G-10	Polycarbonate		
Item#	Item #	Size	Price
1411824	1401824	18" x 24"	\$30
1412436	1402436	24" x 36"	\$39
1413248*	1403248	32" x 48"	\$58
1413648*	N/A	35" x 45"	\$64
N/A	1403648	36" x 48"	\$64

*Must ship flat, oversize package applies



Automatic Tympan System Now available with ½2" clear polycarbonate tympans. Systems are designed to fit floor model Takach litho presses. Installation requires

drilling of holes into the press, easily assembled with common hand tools and some mechanical knowledge.

Item #	Press Model	Price
1422648	2648	\$900
1423460	3460	\$1,000
1424072	4072	\$1,100
1424484	4484	\$1,200
1424896	4896	\$1,300

Replacement Automatic Tympan Sheet

1/32" clear polycarbonate.

i o o ii a i o .	
Press Model	Price
2648	\$100
3460	\$11 <u>5</u>
4072	\$120
4484	\$125
4896	\$130
	Press Model 2648 3460 4072 4484



Takach Hand Inking Rollers

We manufacture the finest lightweight inking rollers available. The rubber used is a combination of natural rubber with a Buna Nitrile blend. This blend of rubber keeps the durometer consistent and gives the rubber a longer life span as well as the highest durability. Medium (35d) and hard (60d) durometer available. A roller cradle is provided for storage. To remove oil-based inks from the roller surface use solventbased cleaners: Soy Solv II is a less toxic option. Use soap and water for water clean up inks. A rejuvenating application of Varn 120 is recommended. The surface must be wiped completely dry with a clean rag, leaving no solvent residue on the roller.

icaving n				
Width		Med 35d	Hard 60d	Price
4 ¾" Di	amete	r Roller (1	5" roll out)	
7 ¾"	3 lb	4000735	4000760	\$291
10 ¾"	5 lb	4001035	4001060	\$342
12 ¾"	6 lb	4001235	4001260	\$383
14 ¾"	7 lb	4001435	4001460	\$437
16 ¾"	8 lb	4001635	4001660	\$502
18 ¾"	9 lb	4001835	4001860	\$560
		4002025	4002060	6604
20 ¾"	10 lb	4002035	4002060	\$604
			1 1/4" roll o	
6 ¾" Di	amete	r Roller (2	1 ¼″ roll o	ut)
6 3/4" Dia 16 3/4" 20 3/4"	amete 12 lb 14 lb	r Roller (2 4011635 4012035	1 ¼" roll o	ut) \$613 \$731
6 3/4" Dia 16 3/4" 20 3/4"	amete 12 lb 14 lb	r Roller (2 4011635 4012035	1 1/4" roll of 4011660 4012060	ut) \$613 \$731
6 3/4" Dia 16 3/4" 20 3/4" 8 1/2" Dia	amete 12 lb 14 lb amete	r Roller (2 4011635 4012035 r Roller (2	1 1/4" roll of 4011660 4012060 6 3/4" roll o	ut) \$613 \$731 ut)
6 3/4" Dia 16 3/4" 20 3/4" 8 1/2" Dia 20 3/4" 24 3/4"	12 lb 14 lb amete 16 lb 18 lb	r Roller (2 4011635 4012035 r Roller (2 4022035 4022435	1 1/4" roll of 4011660 4012060 6 3/4" roll of 4022060	ut) \$613 \$731 ut) \$814 \$944
6 3/4" Dia 16 3/4" 20 3/4" 8 1/2" Dia 20 3/4" 24 3/4"	12 lb 14 lb amete 16 lb 18 lb	r Roller (2 4011635 4012035 r Roller (2 4022035 4022435	1 1/4" roll of 4011660 4012060 6 3/4" roll of 4022060 4022460	ut) \$613 \$731 ut) \$814 \$944

Custom Rollers: up to 24" diameter and 48" face length! We manufacturer all above listed diameters to custom lengths for an additional fee. Call for pricing. Please allow 4 to 8 weeks for delivery.

Manufactured in a similar fashion to our standard rollers, grabit rollers have an inner layer of high quality rubber. The outer layer is an elastomeric ink roll covering formulation, which is uniformly impregnated with synthetic fibers. The resulting hand inking roller performs like a leather roller. Unlike leather rollers, grabit rollers may be cleaned, allowing any ink color to be used. We recommend cleaning with Varn 120 roller wash. Should your grabit roller become matted, a fine bristle brush dampened with roller wash will restore the roller's nap.

4 3/4" Diameter Grabit Roller (15" roll out)

Width	Item#	Price
14 ¾"	41014	\$533
16 3/4"	41016	\$578

Special order grabit rollers available upon request.



Leather Rollers

Traditional handmade leather rollers. Featuring a maple wood core, tapered handles and a hand stitched seam. Includes break-in procedure instructions, manufacture's warranty, and serial number. Optional roller conditioning delivers your roller ready to print.

4" Diameter Leather Roller (12 ½" roll out)

Width	Item#	Price
10"	420410	\$380
12"	420412	\$405
14"	420414	\$437
16"	420416	\$465
18" discontinued	420418	\$550
20" discontinued	420420	\$610
optional roller conditioning	451	\$85



Leather Roller Scraper

flexible stainless steel 522306 \$9.95

Takach Jumbo Brayers

These brayers fill the gap between our small hand brayers and our larger hand-inking rollers. The 12" jumbo brayer has a large diameter and width resulting in an 11" x 12" square of ink without a lap mark. Take it up a notch with the 11" x 14" inking area offered by our 14" XL jumbo brayer. It sports two handles out of the box with the option for just one. Jumbo brayers have the same quality of rubber and the same lightweight aluminum powder coated frame as our other hand brayers.

3 ½" Diameter Brayer (11" roll out)

Width	Med 35d	Hard 60d	Price
12"	4331235	4331260	\$316
14"	4331435	4331460	\$350

Takach Hand Brayers

The rubber composition of hand brayers is the same as our top quality hand inking rollers. Self-lubricating bronze bushings are installed in the powder-coated brayer frame to insure smooth operation. **Medium** (35d) rubber provides the most versatility for printmaking techniques. Hard (60d) available for processes requiring a harder rubber surface.

2 ½" Diameter Brayer (7 ¾" roll out)

Width	Med 35d	Hard 60d	Price
4"	4300435	4300460	\$186
<u>6"</u>	4300635	4300660	\$213
8"	4300835	4300860	\$237
10"	4301035	4301060	\$264

Takach Hybrid Brayers

Newest in the Takach lineup, the 2" brayer bridges the gap between specialty brayers and hand brayers.

1 34" Diameter Brayer (5 ½" roll out)

Width		Med 35d	Hard 60d	Price
2"	NEW.	4300235	4300260	\$75

Takach Specialty Brayers

These are the highest quality narrow sized hand brayers available. Made with the same quality of rubber used on all Takach rollers. Takach specialty brayers are available in medium (35d) and hard (60d) durometer. Features include a high impact resistant handle and a sturdy frame coupled with a self lubricating bearing for extended service. These brayers meet the demands of the professional printmaker and student equally well.

1 34" Diameter Brayer (5 ½" roll out)

Specialty	Brayers Set		Save 10%
<u>1/4</u> "	432235	432260	\$56
<u>½"</u>	432435	432460	\$57
3/4"	432635	432660	\$58
1"	432835	432860	\$ 59
Width	Med 35d	Hard 60d	Price

Specialty Brayers Set

Brayer sizes 1, ¾, ½, ¼ inch with maple storage block. Width Med 35d Hard 60d Price all 4 sizes 4320135 4320160 \$206





Takach Hand Inking Roller Cuffs

Designed without a taper to fit on the handles of Takach hand inking rollers, and grabit rollers.

<u>Item #4400</u> \$45 per pair



Leather Roller Cuffs

Designed with a taper to match the handles on leather rollers.

<u>Item #4401 \$45 per pair</u>



Replacement Roller Handles

Standard handle for Takach hand inking and grabbit rollers: 1 ¼" x 5 ½" PVC material.


<u>Item #4402</u> \$60 per pair



Solid Aluminum Handles For Takach Rollers

1 1/4" x 5 1/2" black powder-coated finish for maximum durability.

<u>Item #4403</u> \$110 per pair





Speedball Brayers

Inexpensive soft rubber brayers in the following sizes:

10110 111115	DIL UD.		
Item#	Width	Model	Price
431150	1 ½"	4170	\$11.65
431200	2"	4171	\$11.99
431250	2 ½"	4172	\$13.05
431300	3"	4173	\$13.50
431350	3 ½"	4174	\$13.95
431400	4"	4126	\$14.75
431600	6"	4129	\$15.60



Replacement Brayer Handle

For Takach hand brayers and Takach jumbo brayers.

Item #4404 \$15 each



Replacement Specialty Brayer Handle

For Takach specialty brayers only.

Item #4405 \$15 each

Punch Registration Systems

Hand built at Takach, these punch registration systems come in two sizes for a variety of image sizes. Each unit consists of .281" diameter punches mounted on a common base and operated by a single lever bar. Centering marks are provided so any size paper or light gauge metal can be punched. Aluminum plates, drawing films, fine art paper, and Smart plates can all be punched with ease. Instructions for different mounting techniques are included.

Six Hole Punch Registration System

Includes 6 Registration Pins .281" x .125" Item # 210

\$595

Three Hole Punch Registration System

Includes 3 Registration Pins .281" x .125"
Item # 211

\$295



Punch Registration Pins

We have two diameters of pins and a range of 3 heights available. Note: Older punches usually have .250" diameter punches. Chart below to scale.

Size	Quantity	Price
.281" Dia x .070" Hig	h 25 pieces	\$49
		\$49
		\$49
		ontinued
		\$49
	.281" Dia x .070" Hig .281" Dia x .125" Hig .281" Dia x .250" Hig .250" Dia x .070" Hig	Size Quantity .281" Dia x .070" High 25 pieces .281" Dia x .125" High 25 pieces .281" Dia x .250" High 25 pieces .250" Dia x .070" High disconsistent .250" Dia x .125" High 25 pieces










Drafting Straight
Edge & Tear Bar
2" wide x 3/32" thick
stainless steel with
one beveled edge,
one square edge.
May be used to tear
paper. Not suitable

for checking litho stones (see precision straight edge). Item #212236 36" \$55 Item #212248 48" \$77



Fine Art Paper Tear Bar

Designed and manufactured by Takach Press. This stainless steel bar's unique design allows effortless tearing of heavy western fine art printmaking paper, as well as Japanese papers.

No Hinge	Size	Price
Item #22324	24"	\$49
Item #22336	36"	\$63
Item #22348	48"	\$75

Fine Art Paper Tear Bar with Hinge

Hinged version allows permanent installation on your paper tearing table. The hinge is typically mounted on the far edge of the table. Left hinged tear bar pictured.

Left Hinge	Right Hinge
Item #	Item #

Item #	Item #	Size	Price
223240	223241	24"	\$98
223360	223361	36"	\$108
223480	223481	48"	\$120

0	Left Hinge	Right Hinge	-0
))	

^{*}Top view



Bone Folder


Hand carved genuine bone, used to burnish torn edges and fold paper.

Item #26101 \$10.95

Print Storage Bags

Made of clear polypropylene plastic these protective storage bags are archival and acid free museum quality. A reusable adhesive flap keeps prints secure and clean.

Item#	Size	25 Bags	100 Bags
522001	12 1/16" x 16 1/4"	\$14.50	\$45
522002	16 1/16" x 24 1/4"	\$29.50	\$85
522003	22 %" x 30 ½"	\$42.00	\$139
522004	35 ¼" x 46 ¾6"	\$99.50	\$350



Open Base:



Lock Kit:




Museum/archival quality paint finish ensures that there is no out-gassing and that the atmosphere in the files has no acidity or alkalinity (ph) created by the finish

Flat Files

Safco five drawer archival museum quality flat files come with a 5 year warranty. Units include large capacity 2 1/8" deep drawers in three cabinet sizes. Modular space-saving stackable design with two base styles available. The extra-strength drawer rails with ball-bearing rollers ensure effortless use. A weighted sheet protector in each drawer prevents paper from curling or catching.

Drawer Size	Fla	t File	6" Close	d Base	<u>20" Ope</u>	<u>n Base</u>
26" x 37"	201001	\$915	201006	\$170	201015	\$355
32" x 43"	201002	\$1,040	201007	\$195	201016	\$375
38" x 50"	201003	\$1,240	201008	\$215	201017	\$390
Last number	of Item#	correspo	onds to colo	r. Exan	nple: To or	der a
26" x 37" bla	ack 5 dra	wer flat f	ile use Item	#2010	01 (1) Bla	<u>ck</u>
	4	0	6	134		
		9		10		

(1) Black	(2) Gray	(3) Tropical Sand	(4) White
Ìtem # 201020	Safco flat file l	lock kit	\$62
Item # 201025	20 adhesive dr	awer dividers 11" long	\$72



Art Studio Floor Matting

A quality floor mat suitable for art studio use. A 7/16" thick, black vinyl offers excellent chemical resistance for acids and solvents, cleans up easily and is wear and slip resistant. Place around your printing press and high traffic areas as an anti-fatigue solution. Sections interlock to fit any size space. Made of 100% recycled PVC.

Floor Matting

Item#		Size	Weight	Price
<u>11501101</u>	Mat	2' x 3'	8 lb	\$47.50
11501102	Mat	2' x 6'	15 lb	\$94.50
11501103	Mat	3' x 4'	15 lb	\$94.50
11501104	Mat	3' x 6'	22 lb	\$141.00
11501105	Mat	3' x 10'	36 lb	\$236.00
11501106	Mat	4' x 6'	29 lb	\$189.00
11501107	Mat	4' x 8'	39 lb	\$252.00
11501201	Roll	2' x 30'	72 lb	\$472.00
11501202	Roll	3' x 30'	108 lb	\$695.00
11501203	Roll	4' x 30'	156 lb	\$945.00
C1	41. T	N N / - 44*		

Custom Length Floor Matting

<u>115013</u>	2' wide	1.2/ sq ft	\$18.88/ft
115014	3' wide	1.2/ sq ft	\$28.32/ft
115015	4'wide	1.2/ sq ft	\$37.96/ft

To determine Item # on custom lengths fill in the last two numbers with number of total feet desired.

Example:

- 2' wide by 9' matting would be Item #11501309
- 2' wide by 12' matting would be Item #115013<u>12</u>

Plate Shears

All plate shears include precise gauging and holddowns for cutting accuracy and are built to machine tool standards. Foot squaring shears are easy to use and offer precise shearing, long life and dependability. Safety features include shatterproof transparent finger guards, treadle stops and well guards.

Cutting Capacity:

Copper and Zinc 16 Ga. (.062")
Mild Steel 18 Ga. (.045")
Aluminum 14 Ga. (.075")
Polycarbonate Plastic (Monotype Plates) 1/8" (.125")

Tennsmith Model #52



Foot squaring shear Made in USA

Max Sheer Width: 52 ½"
Back Stop Range: 30"
Front Stop Range: 37"
Dimensions: 60" x 80"
Weight: 950 lb

Item #22005 includes front & back stops. \$2,860

Roper Whitney Pexto Model #152



This foot squaring shear includes back and front stops. Made in USA

Max Sheer Width: 52"
Back Stop Range: 25"
Front Stop Range: 30"
Dimensions: 60" x 76"
Weight: 1,000 lb

Item #22004 \$3,490

Tennsmith Model #36



Foot squaring shear Made in USA.

Max Sheer Width: 37"
Back Stop Range: 30"
Front Stop Range: 37"
Dimensions: 45" x 80"
Weight: 700 lb

Item #22006 includes front & back stops. \$2,150

Roper Whitney Pexto Model #125



This bench shear features top and bottom blades that are interchangeable.

Max Sheer Width: 25"
Back Stop Range: 12 ½"
Front Stop Range: 37"
Dimensions: 25" x 25"
Weight: 230 lb

Item #22002 \$1,725

Kutrimmer Plate Cutters

These sturdy German manufactured solingen steel blade trimmers cut effortlessly through many common printmaking materials including: **Photopolymer Plate-** Solar and KM; **Litho Plate-** ball grained and photo; **Monotype Plates-** polycarbonate and PETG; **Paper:** up to 30 sheets 20#.

Table Top Kutrimmer



Standard Features:

- Safety guard covers blade in every position
- Sturdy all-metal construction
- Precision side guides with lockable back gauge
- Standard paper sizes indicated on table
- Automatic clamping device moves with blade Floor model units:
- Integrated foot pedal to ensure positive clamping
- Table extension supports large format materials

Item#	Cut Length	Model	Table Size	<u>Price</u>
22021	18"	1046	20" x 14"	\$449
22023	22 ½"	1058	24" x 14"	\$746
22024	28 ½"	1071	30" x 20"	\$899

Floor Model Kutrimmer




Item#	Cut Length	Model	Table Size	Price
22025	31 ½"	1080	32" x 24"	\$1,664
22026	43 3/4"	1110	44" x 30"	\$2,393





These sturdy AWT racks are ideal for drying prints, paintings, or other flat

substrates. Perfect for commercial shops, educational and institutional use, these models combine both economy and mobility. Featuring lightweight shelves with rubber bumpers that maintain the proper shelf spacing. The all steel-construction provides a super sturdy frame. Casters are included for easy mobility. Ships UPS ground. Made in USA.



Item#	Shelves	Shelf Size	Width	Depth	H1	H2	Model	Price
200201	40	18" x 24"	25.5"	24.5"	53.5"	45.5"	DR-24-40a	\$599
200202	40	20" x 26"	27.25"	24.25	45"	53.5"	DR-26-40	\$753



Heavy Duty Drying Rack

These AWT racks are built on a welded steel frame. Steel bumpers are welded to the outside of the shelf for maximum drying room.

For smooth up/down operation, the individually adjustable shelf springs give you tension control over each shelf, and all shelves feature a rust- and solventresistant, powder-coated finish to extend the life of your rack. To promote quick evaporation, racks come with non-warping shelves spaced at 1" or 2" intervals. Back stops prevent stock slide. Ships Motor Freight. Made in USA.

Item#	Shelves	Shelf Size	Width	Depth	H1	H2	Model	Price
200204	40	26" x 36"	38.5"	32"	64.5	55"	DR-36-40	\$1,495
200205	50	26" x 36"	38.5"	32"	79"	62.75"	DR-36-50	\$1,680
200206	40	31" x 48"	51.75"	36.5"	70"	52.25"	DR-48-40	\$1,775
200207	50	31" x 48"	51.75"	36.5"	81"	62.75"	DR-48-50	\$2,180
200208	50	37" x 50"	53.5"	43"	83.25"	62.75"	DR-50-50	\$2,555
200209	50	42" x 55"	58.5"	47.75"	88.25"	62.75"	DR-55-50	\$2,745
200210	50	45" x 68"	72.75"	52"	103.5"	62.75"	DR-68-50	\$6,995
200211	50	52" x 80"	84.75"	58.25"	89.25"	62.75"	DR-80-50	\$6,115

Gran Adell Drying Racks

These sturdy specialty racks are ideal for drying prints, paintings, or other flat substrates. All-steel units offer zinc plated shelf finish to resist rust and solvents. Made in USA.

Easy Ship Gran Adell Racks

Item#	Shelves	Shelf Size	DxWxH	Mesh Openings	Model	Price
200101	40	18" x 24"	24" x 25" x 45"	6" x 8"	ES1824	\$510
200102	80	18" x 24"	54" x 25" x 45"	6" x 8"	ES1824D	\$958

Heavy Duty Gran Adell Racks

Item#	Shelves	Shelf Size	DxWxH	Mesh Openings	Model	Price
200103	40	22" x 32"	28" x 35.25" x 56.5"	4" x 4.5"	HD2232-40	\$1,147
200104	50	22" x 32"	28" x 35.25" x 68.25"	4" x 4.5"	HD2232-50	\$1,247
200105	40	32" x 48"	37" x 51.75" x 56.5"	4" x 4.5"	HD3248-40	\$1,417
200106	50	32" x 48"	37" x 51.75" x 68.25"	4" x 4.5"	HD3248-50	\$1,582
200107	50	40" x 52"	47" x 55.75" x 68.25"	4" x 4.5"	HD4052	\$1,939
200108	50	43" x 33"	48" x 36.75" x 68.25"	4.5" x 5.5"	HD4333	\$1,657
200109	50	45" x 69"	52" x 72.25" x 68.25"	4.875" x 4.5"	HD4569	\$2,956
200110	50	52" x 69"	59" x 72.25" x 68.25"	6.25" x 4.625"	HD5269	\$3,240
200111	50	52" x 81"	59" x 83.25" x 68.25"	6.25" x 4.625"	HD5281	\$4,275





Seri-GlideTM Serigraph Press

The AWT large scale Seri-Glide One-Man Squeegee Screen Printing Unit is a manual serigraph printing unit with a completely flat, aluminum vacuum hold down table that is warp and rust-resistant. It offers an economical solution for short run, high quality screen printing jobs. Made in USA.

Standard features include:

- •Up front micro-registration
- •Up front vacuum and blowback control
- •Quiet, maintenance-free vacuum motor
- •Adjustable counter balance for easy screen lift

Item#	Print Area	Max Frame Size	Table Size	Weight	Electrical	Price
250110	35" x 45"	43" x 51"	58" x 63"	1,200 lb	120V, 1Ph, 60Hz	\$8,390
250111	44" x 64"	67" x 88"	72" x 88"	1,600 lb	120V, 1Ph, 60Hz	\$9,490
250112	52" x 80"	75" x 104"	79" x 104"	1,700 lb	120V, 1Ph, 60Hz	\$11,690

Accu-Glide™ Serigraph Press

The AWT Accu-Glide One-Man Squeegee Screen Printing Unit is a small format aluminum vacuum table with micro-registration, vacuum system and stand that offers an inexpensive, yet high quality, professional solution to screen print short runs, prototypes and test runs. Made in USA.

Standard features include:

- •Rear micro-registration
- Adjustable legs
- •Quiet, brushless maintenance-free vacuum motor
- •Up front vacuum control
- •Heavy-duty screen lift & reversible sidekick.

Item#	Print Area	Max Frame Size	Table Size	Electrical	Weight	Price
250102	15" x 25"	23" x 34"	23" x 35"	120V, 1Ph, 60Hz	250 lb	\$3,220
250103	24" x 30"	32" x 39"	32" x 40"	120V, 1Ph, 60Hz	275 lb	\$3,940
250104	25" x 38"	33" x 47"	33" x 48"	120V, 1Ph, 60Hz	2 300 lb	\$4,270

BLACKLINE

KDL Washout Sink

Constructed entirely of ¼" semitransparent polypropylene with a welded main pan, locking side and back panels, built-in screen supports, and bolt on legs. Easy to backlight. Ships regular UPS ground. 70 lb.

Item #251206	24"D x 32"W x 64"H	\$525
Item #251207	KDL Backlight	\$180

Cam Spray Industrial Pressure Washer

2 GPM 1450 PSI hand carry unit •adjustable pressure

•multi-reg 0-60° nozzle •high/low for chemical injection •25' hose

•36" wand •35' GFCI power cord

Item #252201	Model 1500A (2Hp, 120V, 19A) \$676
Item #252205	wand & nozzle replacement (not handle) \$64



Constructed of welded polypropylene and has a ceiling and splash guards to help minimize spray while cleaning. The semitransparent polypropylene back panel is fully backlit for easy viewing. Units have built-in screen supports. Perforated drain prevents tape from clogging the waste system.

1		0	<i>J</i>	-
Item #	Model	Max Screen	Dimensions	Price
251201	WDX 36	32" x 44"	24"D 36"W 74"H	\$1,365
251202	WDX 48	42" x 44"	24"D 48"W 74"H	\$1,720
251203	WDX 60	54" x 44"	24"D 60"W 74"H	\$2,150
251205	WDX 72	66" x 44"	24"D 72"W 74"H	\$2,650



Filter One

Filters out solvents and ink.

#25401 use with WDX sinks \$1,395

Replacement Filters

#25402 1-20 & 1-75 micron \$18



Platemaker Exposure Units: Designed specifically to expose plates, the NuArc 26-1KS W/HD exposure unit gives the best results for exposing all types of photographic plates. The light source and vacuum in one ensures fast,



consistent exposures and superior image reproduction on printing plates that require UV exposure with absolute contact. Platinum and palladium printing.

NuArc 26-1KS W/HD: 1000W, 120V, 10.3A Overall dimensions are 32"H 30"W 28"D Complete table top exposure unit with 1000 watt metal-halide lamp, light integrator control, molded one-piece blanket, and vacuum system. Includes NuArc LC128 heavy duty vacuum pump. Additional options listed.

Item#	Max Plate Size	NuArc#	Crated	Weight	Price
232011	23" x 27" (heavy duty)	26-1KS W	/HD	150 lb	\$4,385
232013	floor stand	NSF3			\$340
232020	light shield curtain	NT43			\$541
232016	replacement lamp	NP80			\$173
232014	vacuum blanket insert (improves drawdown)	NJ19			\$35



Combination Screen / Plate Exposure Units

The NuArc MSP 3140 utilizes a specially designed deep well blanket that draws down on screen frames or plates. Well suited for shops with dark rooms processing both screen printing and photographic plates.

NuArc MSP 3140: 1200 W, 20 A, 120V. Overall dimensions are 40"H 51"W 47"D.


Item#	Exposure Area	NuArc#	Crated Weight	Price
232017	31" x 40"	MSP3140	325 lb	\$5,760
232021	replacement lamp	PD41		\$228



Direct Screen Exposure Units: The NuArc First-Light and NuArc Mega-Light units have high output, UV florescent lamps that expose all silkscreen emulsions: direct, capillary & indirect. These affordable direct silkscreen exposure units are enclosed, allowing operation in the darkroom. Weakest UV light source designed for silkscreen use only. Not recommended for Emerald photo litho, or photopolymer plates and films.

NuArc Mega-Light: 330W, 230V, 2.4A. Overall dimensions are 8"H 49"W 39"D. Tabletop exposure system with optional floor stand. Uses 11 high output UV florescent lamps. 2 additional lamps allow Mega-Light to double as a light table.

Item#	Max Screen Frame Size	Crated Weight	Price
232031	31" x 40"	273 lb	\$3,468
232032	floor stand (overall 41"H) NuArc# AOPT-MI	LIT-STD	\$340
232033	UV replacement lamp (11 required) NuArc#V	/E1219	\$10.40 ea
232034	inspection replacement lamp (2 required) Nu	Arc#VE83	\$5.20 ea



NuArc First-Light: 150W, 230V, 1.4A. Overall dimensions are 8"H 42"W 34"D. Versatile and affordable tabletop unit with 5 high output UV florescent lamps.

<u>Item#</u>	Max Screen Frame Size	Crated Weight	Price
232030	23" x 31"	150 lb	\$2,262
232033	UV replacement lamp (5 required	l) NuArc#VE1219	\$10.40 each



Older NuArc Replacement Bulbs

ltem#	Fits NuArc Model	NuArc Part #	Price
232022	FT40V3UP	HT121	\$221
232023	26-1K Mercury	GW114	\$109
232016	MSP 2125, 32-1KS, 40-1KS	NP80	\$173
AmarCranh D	Conlessoment Dulbs		



AmerGraph Replacement Bulbs

Item#	Fits AmerGraph Model	AmerGraph Part #	Price
232310	Advantage 150	10888	\$225
232315	Magnum (283, 323, 453) SE	10266	\$225
232311	V28-VMS	10725	\$225



Porta-Trace ® **Light Tables**

Bright White LED modules 120/240VAC 50/60hz

Item #	Description	<u>Price</u>
230020	24" x 36"	\$1,225
230021	36" x 48"	\$1,865

Porta-Trace [®] **Stainless Steel Frame Light Box**

Item #	Description	Price
230005	24" x 36"	\$545
230006	same model with tilt legs	\$585



Linen Tester

8x power magnifier with double lens in a folding metal case with storage pouch.



\$19

\$10.45



21 Step Scale

A quality control scale that helps the user determine and standardize the proper exposure and processing of photo sensitive materials. Used with litho plates, and photopolymer plates.



Stabilo Pencil

A great water soluble drawing material to use on films such as

Artex, Velvet Tone, or matte polyester. 10% off 12+ Item #510200 (each) #8046 black \$ 1.50



Film Opaquer Pens

Light-opaque ink pens great for drawing on films.


Item #3910	broad point	#1102	\$7
Item #3911	fine point	#1100	\$7



Zig Opaque Pens

Preferred light-opaque ink pens great for drawing on films.

	\mathcal{O}	\mathcal{C}	
3930	[SF] super fine	OP-005	\$7
3932	[F] fine	OP-220	\$7
3936	[BR] rubber brush	OP-55	\$7
3934	[R] broad chisel tin	OP-88	\$7



Aqua Tint Screen

This random pattern stochastic tint screen is used when creating photographic work on light sensitive films and plates. Screen is reusable and may be cut to custom sizes. Similar to 300 dot

screen (300 dpi). 70-75% opaque black dot coverage.

Item # 350101012	10" x 12"	\$57
Item # 350101216	12" x 16"	\$64
Item # 350101620	16" x 20"	\$98
Item # 350102024	20" x 24"	\$149
Item # 350103542	35" x 42"	\$302



Mylar Film

Clear polyester film or matte polyester drafting film used for general registration purposes and photographic processes.

Item#39010	.003" x 36" x 150 ft roll	clear	\$156
Item#39011	.003" x 42" x 150 ft roll	clear	\$175
Item#39020	.003" x 36" x 150 ft roll	matte	\$189
Item#39021	.003" x 42" x 150 ft roll	matte	\$229
Item#39022	.003" x 48" x 150 ft roll	matte	\$249



Artex Textured Film

A transparent plastic film featuring a grained surface with coarse texture ideal for pencils or crayon drawings. Introduce hand drawn elements into photo litho or photopolymer plates.

Item#39039	.006" x 18" x 100 ft roll	<u>\$45</u>
Item#39040	.006" x 36" x 100 ft roll	\$145
Item#39046	.006" x 54" x 100 ft roll	\$195



Artex Stencil Film

The same film as the Artex textured film with a peel-off adhesive backing. Great for stencil work or any project needing an adhesive film.

Item#39045 .006" x 42" x 150 ft roll \$248



Velvet Tone Drawing Film

Polycarbonate film with a fine tooth grained surface for pencil and crayon drawing. For use with photo litho or etching plates.


Item#39041	.007" x 48" x 50 ft roll	\$135
Item#39042	.007" x 48" x 100 ft roll	\$249



Ulano Rubylith

A traditional ultra-violet blocking red masking film. Easily cut and remove sections to make stencils.

<u>Item #39071 40" x 300" roll RU3 \$99</u>





Positive Plate Developer Powder

Used to develop photo litho plates. Mix the 4 oz dry contents with 1 gallon of hot water, shake and let cool before using.

31104	4 oz	\$10
31105	1 gallon jug	\$4.95



Developer Application Pad

Used to develop photo litho plates. Soft micro fiber pad agitates and removes emulsion without scratching. 31101 \$ 23.65



Positive Plate FPC


Finisher, preserver, cleaner. For use on photo litho plates. Finishes the developing process, preserves the plate, and cleans off ink.

31102	AB Dick	quart	\$26
31103	Eagle	quart	\$26



Varn True Blue Plate Cleaner 🗫

Opens plates. Removes gum streaks, scratches, oxidation & semi-dry ink. 31107 quart \$26.50



Allows for additions to be made directly to aluminum plates. Felt tip will not scratch or affect plate surface. fine point #2100 3914 \$12.50

Image Remover Pen

Allows for deletions to be made directly to aluminum plates. Felt tip will not scratch or affect plate surface. 3920 broad point #2201 \$12.95 3921 fine point #2200 \$8.95




Kodak 231 Deletion Fluid

A liquid form of image remover. Works on photo litho plate, ball grained litho plate and stones. 3924 250 ml / 8.45 oz \$65

Ball Grained Litho Plate

.015" thick aluminum grained to a medium finish. Takach Press grained its first litho plate in 1987. Since then we have grained plates for customers worldwide. 301121810 12 ³/₄" x 18" 10 pack \$69 301121820 12 ³/₄" x 18" 20 pack \$128 301121830 12 ³/₄" x 18" 30 pack \$187 301121850 12 ³/₄" x 18" 50 pack \$305 301182510 18" x 25 ½" \$140 10 pack 301182520 18" x 25 ½" \$257 20 pack 30 pack \$374 301182530 18" x 25 ½" 301182550 18" x 25 ½" 50 pack \$607 301253610 25 ½" x 36" 10 pack \$259 301253620 25 ½" x 36" \$491 20 pack 301253630 25 ½" x 36" 30 pack \$723 301365110 36" x 51" 10 pack \$509 301365120 36" x 51" 20 pack \$971



Eagle Pos1 🗪

This .012" thick positive working photo litho plate claims excellent dot reproduction. 2-98% at 150 LPI or 300 DPI. Use a 21 step scale to achieve a solid 3.

	1		
31010010	19 ⁵ / ₁₆ " x 26 ¹ / ₂	10 pack	\$85
31010020	19 ⁵ / ₁₆ " x 26 ¹ / ₂	20 pack	\$148
31010030	19 ⁵ / ₁₆ " x 26 ¹ / ₂	30 pack	\$194
31010050	19 ⁵ / ₁₆ " x 26 ¹ / ₂	50 pack	\$280
31010210	25 ½" x 36"	10 pack	\$142
31010220	25 ½" x 36"	20 pack	\$257
31010230	25 ½" x 36"	30 pack	\$372
31010250	25 ½" x 36"	50 pack	\$602
31010310	31 ½" x 40 %6"	10 pack	\$195
31010320	31 ½" x 40 ½"	20 pack	\$343
31010330	31 ½" x 40 %6"	30 pack	\$447
31010350	31 ½" x 40 %6"	50 pack	\$648
31010530	36" x 52"	30 pack	\$660
31010730	42" x 52"	30 pack	\$720
Eagle Cher	<u>nistry</u>	-	

3110101	developer concentrate	<u>6-8 gal.</u>	<u>\$99</u>
3110102	developer	gal.	\$20
3110104	finisher	gal.	\$28
3110107	cleaner	liter	\$24
31103	FPC (AGD)	quart	\$26

Wipes

Soft, stron	ig, absorbent & lint free.	8" X 8"	
<u>522103</u>	cotton wipe elite	100 pcs	\$9



Takach Levigator

1" thick. To ensure even wear the 11' is counterweighted. The 8" and 11" include a free spinning handle. The stainless steel handle shaft resists rust. The graining puck is held in the palm of the hand.

2210	4" hand held graining puck	\$75
2211	8" levigator	\$315
2212	11" levigator with counterweight	\$365









Carborundum Grit: Black silicon carbide

Used in conjunction with the levigator to grain litho stones. This domestic grade material is very uniform in particle size.

#80 (coarsest) - #320 (finest).

<u>Item#</u>	Grade	1 lb	5 lb	25 lb	50 lb	100 lb
224080	#80	\$6	\$14	\$67	\$134	\$247
224100	#100	\$6	\$14	\$67	\$134	\$247
224150	#150	\$8	\$18	\$91	\$182	\$343
224180	#180	\$8	\$18	\$91	\$182	\$343
224220	#220	\$8	\$18	\$91	\$182	\$343
224320	#320	\$13	\$27	\$137	\$260	\$494



Grit Dispenser

Wide mouth squeeze bottle with lid controls distribution of grit. 207010 16 oz capacity \$2.95



Precision Straight Edges

Do not confuse this with a ruler. These are precision made tools used to determine the flatness of litho stones. Many litho stones are broken because a faulty straight edge was used during the

graining procedure. Also used to check press beds.

Item#	Length	Height	Width	Accuracy	Price
212024	_	1.4"	.171"	.001"	\$96
212036	36"	2.4"	.218"	.0015"	\$194
212048	48"	2.4"	.218"	.002"	\$286



Hydraulic Studio Lift

Transport heavy items such as litho stones and plate backers around the studio. Adjustable in height from 10 ¾" to 35". Capable of lifting 1,000 pounds. Locking swivel casters.

24021 44 ¼"H x 38 ¾" L x 19 ¾" W \$475



Litho Sponges

Cellulose sponges are recommended for use with litho plate and stone printing.

10% off 12+



52103	medium pore	each	\$3
	•		

52104 fine pore each \$4 52110 stainless steel bowl 3 qt \$2.95

Litho Fan

15" maple handle, 7" x 8" leather blade. 52101 \$45



Cheesecloth

522031 36" wide 5 yd min. \$1/yd 522032 36" wide 70 yd bolt \$61



Powder Shakers

Stainless steel shaker great for dispensing rosin and talc powders.

<u>5223101</u> \$3.95



French Chalk: "Talc"

Talcum powder used to dust litho images. 540262 26-1600 1 lb \$7 540263 26-1601 4 lb \$17



Powdered Rosin

An acid resist, protects images on stones. 540252 (11920) 1 lb \$14.95



Lithotine

Solvent for washing out ink and asphaltum for litho and photopolymer plates.

541013	Jell	gallon	\$38
541016	C&W	gallon	\$38



Tannic Acid Plate Etch: (PH 2.5 - 2.7)

To make **TAPEM:** Mix: 42 oz Tannic Acid, 76 oz gum, 1 oz phosphoric acid 541023 gallon \$37.50



Gum Arabic

Pure, micro filtered, 14° baume gum arabic. Preserved for a long shelf life.

3080	Jell	gallon	\$36
3083	C&W	gallon	\$36



Ancolite Glaze Cleaner

Deep cleans litho plates 541040

<u>541040</u> <u>gallon</u> <u>\$40</u>



Senefelder's Liquid Asphaltum

Used as a printing base in lithography.

<u>540091</u>	Graphic Chem	pint	\$15.95
540092	Graphic Chem	quart	\$22.95
540093	Graphic Chem	gallon	\$58.95



Zinc Plates

Engraver's zinc (.064") 16 gauge: This zinc is backstopped with a standard matte finish.

Item #	Size	1-9	10+
3300609	6" x 9"	\$16	\$15
3300912	9" x 12"	\$25	\$24
3301218	12" x 18"	\$44	\$43
3301824	18" x 24"	\$83	\$81
3302436	24" x 36"	\$165	\$155



Copper Plates

Industrial grade copper plate (.043") 18 gauge.
Not polished or back—stopped, but offers a savings. Removable PVC film protects print surface.

Item#	Size	1-9	10+
3200405	4" x 5"	\$5	\$4
3200609	6" x 9"	\$11	\$10
3200810	8" x 10"	\$16	\$15
3200912	9" x 12"	\$19	\$18
3201218	12" x 18"	\$37	\$35
3201824	18" x 24"	\$73	\$69
3202436	24" x 36"	\$144	\$137
3203648	36" x 48"	\$288	\$273



Whiting

Used to de-grease and polish intaglio plates. Absorbs excess ink when hand wiping plates. Add to stiffen etching inks.

3224001	1 lb		\$ 4.95
3224002	5 lb		\$ 14.95
		_	



Putz Pomade

Used to polish intaglio plates. Removes small blemishes and ensures good adhesion of grounds. Deep clean after printing.

3224004 15 ¹ / ₄ oz	<u>\$ 18.95</u>
---	-----------------



Plate Deburring Tool

Quickly removes sharp edges from copper, zinc, steel, aluminum and plastic plates. Reusable.

The second second second	~~		-	
2220	•	-		\$6.75 ea.



Hand Rocked Mezzotint Plates

Meticulously hand rocked plates provide a very desirable surface, saving you many hours of work. Please allow 1 - 4 weeks to process.

Small Plate: up to 12" x 12" \$1.75 per square inch* Large Plate: over 12" x 12" \$2.25 per square inch* Small Plate Large Plate Finish #Lines 321045 321245 45 per inch coarse 321065 321265 65 per inch medium 321285 85 per inch 321085 fine

* Pricing does not include copper plate





Linoleum Gray Unmounted

370106081 6" x 8" #4367 \$2.15	<u>370104061</u>	061 4" x 6"	<u>#4365</u>	<u>\$1.40</u>
	370106081	081 6" x 8"	#4367	\$2.15
370108101 8" x 10" #4368 \$3.95	370108101	101 8" x 10"	#4368	\$3.95
370109121 9" x 12" #4369 \$4.95	370109121	121 9" x 12"	#4369	\$4.95
370112181 12" x 18" #4371 \$9.95	370112181	181 12" x 18"	#4371	\$9.95
5524132 Speedball lino cutter set 8 pc \$13.25	5524132	2 Speedball lino cutt	ter set 8 pc	\$13.25
	55101001			\$39.00



Monotype Plates

Dimensions based on printmaking paper sizes.

Polycarbonate: thin, clear & unbreakable plastic.

PETG: an inexpensive polycarbonate alternative. Ball Grained Plate: can hold heavy ink layers, excellent for flats.

Polycarbonate .030" (1/32" thick)

3400045	4" x 5"	\$1.98
3400068	6" x 8"	\$4.80
3400810	8" x 10"	\$7.95
3400912	9" x 12"	\$9.75
3401117	11" x 17"	\$13.75
3401620	16" x 20"	\$19.50
3401820	18" x 20"	\$21.25
3402432	24" x 32"	\$37.20
	. 0 < 0.00 (4/ 00 .3 0 3)	

Polycarbonate .062" (1/16" thick)


3410045	4" x 5"	\$2.20
3410068	6" x 8"	\$5.28
3410810	8" x 10"	\$8.75
3410912	9" x 12"	\$10.00
3411117	11" x 17"	\$14.50
3411620	16" x 20"	\$21.00
3411820	18" x 20"	\$22.85
3412432	24" x 32"	\$39.75

PETG Plates .030" (1/32" thick)

3450045	4" x 5"	\$.9 <u>5</u>
3450068	6" x 8"	\$1.80
3450810	8" x 10"	\$2.50
3450912	9" x 12"	\$3.10
3451117	11" x 17"	\$4.30
3451620	16" x 20"	\$5.90
3451820	18" x 20"	\$6.50
3452432	24" x 32"	\$11.30

Ball Grained Aluminum Monotype Plate

3440609	6" x 9"	\$4
3440912	9" x 12"	\$6
3441218	12" x 18"	\$9
3441824	18" x 24"	\$13
3442436	24" x 36"	\$24



KM Photopolymer Plates

Steel-backed photopolymer plates Develop in water. Peel off UV protective sheet.

KM 43 (.017")

Exceptional detail and clarity. Capture elusive light and midtone grays of photo intaglio. Expose to a solid 14-15 with a 21 step scale. Requires exposure unit.

Item#	Size	1-9	10-19	<u>20 +</u>
35020508	5 ¾" x 8 ¼"	\$7	\$6	<u>\$5</u>
35020811	8 ¼" x 11 ½"	\$11	\$10	\$9
35021116	11 ½" x 16 ½"	\$22	\$20	\$18
35021623	16 ½" x 23 ¾"	\$45	\$41	\$36
35022333	23 %" x 33"	\$90	\$68	\$63

KM 83 (.033")

Similar to Solar Plate, recommended for relief.

Item#	Size	1-9	10-19	20+
35040508	5" x 8"	\$11	\$8	\$7
35040811	8" x 10"	\$17	\$16	\$14
35041116	11 ½" x 16 ½"	\$34	\$32	\$28
35041623	16 ½" x 23 ¾"	\$68	\$64	\$58
35042333	23 %" x 33"	\$136	\$104	\$100

Aqua Tint Screen



Random pattern stochastic tint screen, necessary for photo intaglio work on light sensitive films and plates. Similar to 300

dot screen. 70-75% opaque black dot coverage.

350101012	10" x 12"	\$57
350101216	12" x 16"	\$64
350101620	16" x 20"	\$98
350102024	20" x 24"	\$149
350103542	35" x 42"	\$302



21 Step Scale

Helps determine the exposure of photopolymer plates.

23301 \$ 10.45



Hand Shear

High Leverage capable of cutting photopolymer plates into custom shapes. Also trims aluminum plate corners.

22030 \$21

Photopolymer Plate Cutter





Magnetic Registration Support

Grid printed on magnetic sheet aides in registering steel-backed photopolymer plates on press bed. Blank magnets great

for developing, inking, & wiping.

350301724	printed grid magnet	17" x 24"	\$35.00
350302436	printed grid magnet	24" x 36"	\$54.00
350321217	blank magnet	12" x 17"	\$6.95
350321724	blank magnet	17" x 24"	\$9.95



ImagOnTM HD Photopolymer Film

Laminate plate and mix developer a day before exposing. Film is heat sensitive, and can not be shipped in weather above 75°

390610	12" x 15'	15 sq ft roll	\$45
390611	24" x 15'	30 sq ft roll	\$90
390612	24" x 25'	50 sq ft roll	\$150



Puretch Photopolymer Etching Resist

The thinnest dry film (.6 mil) photoresist available which yields the highest resolution etchable resist. Ideal for

photo etching high resolution halftones and hand drawn transparencies. Puretch is a negative working film which means it is exposed with a positive. If an aquatint is required it can be applied traditionally over top of the developed film or with a separate exposure to an aquatint screen. Puretch laminates with distilled water and squeegee. Expose film with a UV point light for best results. The exposed film is developed in a 1% soda ash solution. Etch copper plates with ferric chloride. Strip film from the etched plate with an alkali such as TSP. The plate can be reworked with any traditional process. Detailed instructions included.

390802	24" x 10'	20 sq ft roll	\$49
		±	



Soda Ash

Sodium carbonate for developing Puretch & ImagOnTM photopolymer films.

352001	1 lb	\$ 2.50
352002	5 lb	\$10.50



Smart Plate

Polyester plates are imaged on a laser Plate printer or can be hand drawn with toner,

permanent markers, or ball point pen. Wet sponge and roll up with oil based ink, similar to aluminum plate lithography.

36005	9" x 12"	10 pack	\$14.50
36004	9" x 12"	100 pack	\$79.00
36007	8 %" x 15"	10 pack	\$16.00
36006	8 %" x 15"	100 pack	\$89.00
36002	12 %" x 19 %"	10 pack	\$28.50
36001	12 %" x 19 %"	100 pack	\$199.00
36009	24" x 36"	10 pack	\$85.00



Smart Plate Chemistry

Etch plate with 392, apply plate prep 394, wipe with fountain solution 390, go to press.

36101	SP fountain solution 390	½ gal	\$65
36102	SP plate etch 392	Pint	\$25
36103	SP laser plate prep 394	Pint	\$25



Ferric Chloride Vertical Etching Tank: Z*Acryl ¼" thick polyethylene structure with a form fitting lid that minimizes evaporation. Holds 4 gallons of ferric chloride and will etch two full 18" x 24" plates. Uses 80% less studio space than a traditional bath-style tray. 8 ½"W x 24 ½"L x 22"H

32211	tank for 18" x 24" plates	<u>\$198</u>
32230	hand held siphon pump	\$22



Ferric Chloride

42° baume premixed, copper etching solution used in vertical etching tanks.

Safer alternative to traditional etchants.

(Ground ship UPS HAZ MAT \$30)

32201 gallon \$32

32202 2 gallons \$64

32204 4 gallon case \$120



Powdered Rosin

Dusted and heat fused onto metal plates to create aquatints. Removed with denatured alcohol.

540252 1 lb \$14.95



BIG Etching Ground (soft and hard)

Baldwin **I**ntaglio **G**round, an ink based less toxic ground. Uses: soft ground, hard ground, sandpaper aquatint, powdered sugar aquatint, coffee lifts. Can be modified with lavender oil for washes

and as a paintable stopout. Washes off plate with detergent and hot water or mild solvents. Plate must be thoroughly degreased before application.

3226012	NEW	Red	75ml	\$19.95
3226022	NEW W	Black	75ml	\$19.95



Trays for Etching Plate and Soaking Paper High density polyethylene trays used for normal concentrations of acids. Great paper soaking tray. Great developing tray for photo litho and photopolymer plates.

Overall			Fits Print				
	L	X	W	X	Н	or Plates	
32216	8%	X	6%	X	1½"	5 x 7"	<u>\$9</u>
32217	13%	X	11%	X	21/4"	8 x 10"	\$14
32218	15%	X	13%	X	2½"	10 x 12"	\$20
32221	17%	X	14%	X	2¾"	11 x 14"	\$21
32219	20%	X	17¾	X	31/8"	14 x 17"	\$31
32222	24	X	20	X	31/8"	16 x 20"	\$41
32220	261/4	X	221/4	X	31/8"	18 x 22"	\$60
32223	28	X	24	X	3¼"	20 x 24"	\$62
32224	32%	X	27¾	X	41/4"	23 x 28"	\$91
*32225	471/4	X	371/4	X	4¼"	32 x 42"	\$149

* Ships oversized FED EX

Graphic Chemical Etching Grounds Universal Etching Ground



Relatively transparent, liquid ground.

Thinned and removed with naptha.

3224010 hard ground pint \$13

3224011 hard ground quart \$20

3224020 soft ground pint \$13



 3224021
 soft ground
 quart
 \$20

 Stopout Varnish
 3224030
 pint
 \$15

 3224031
 quart
 \$24



Ball Ground

3224040	hard opaque	ea.	\$3
3224042	hard transparent	ea.	\$3
3224041	soft opaque	ea.	\$3
3224043	soft transparent	ea.	\$3
3224044	extra soft opaque	2 oz	\$5
3224045	extra soft opaque	4 oz	\$9



Western	Graphics	Litho Stor	nes		,	
#	L	W	Н	Laminated	color	Price
Notes: V	isual asses	ssment of n	otable fea	ntures, completed by Brandon Gunn.		
101	16.25"	22"	4"		Yellow / hard yellow	\$715.00
Notes: O	uartz lines.	, chip in co	rner (2" x	3.25"). Multiple 1" chips along edge.		
128	24.125"	32.25"	3.5"	2.5" stone, 1" slate	Hard yellow / light grey	\$1524.94
Notes: Vi	isually var	iegated surf	face patter	n, some quartz lines.	, , , , , , , , , , , , , , , , , , , ,	
110	24.75"	33.75"	3.375"	Stone (2") on stone (1.375")	Hard yellow / light grey	\$1973.43
Notes: Q	uartz lines	and some i		its (non-printing). Chip (3.5" x 4") in co		
127	25.75"	34"	2"		Yellow	\$875.50
Notes: So	ome quartz	lines				
108	25.75"	36.375"	3.5"		Hard yellow	\$1966.98
Notes: C	rack that ex	xtends in fr	om edge 3	". Quartz lines, non-printing speckling.		
126	26"	34.125"	3.125"	2.125" stone, 1" slate	Blue grey	\$2439.94
Notes: O	uartz line			1	, ,	
125	26"	36"	3.375"	2.375" stone, 1" slate	Hard yellow / light grey	\$1769.04
	uartz lines		1	,		
124	26"	38.125"	2.75"		Hard yellow / light grey	\$1908.16
				rtz lines. Possible fossils developing. E		
123	26.25"	38.25"	3.375"	2.375" stone, 1" slate	Yellow	\$1355.48
				ling (non-printing). Some fossils 5" x 1		Ψ1333.10
122	26.25"	38.375"	3.25"	2.25" stone (on stone), 1" slate	Hard yellow	\$1571.46
				ssil (2" x 2.5") 5" x 7" in from edge and	<u>*</u>	
119	27"	36.5"	3.5"	Stone (1.75") on stone (1.75")	Hard yellow	\$2069.55
		s, quartz lin		Stolle (1.75) on stolle (1.75)	Traid yellow	\$2007.55
116	27.5"	39.25"	2.75"	1.75" stone, 1" slate	Yellow	\$1187.31
	uartz lines		2.73	1.75 Stone, 1 State	Tellow	\$1107.51
104	27.75"	36.25"	3.5"	I	Hard yellow / light grey	\$2464.55
				1 x .5) 4" x 9" in from sides. Small spot		\$2404.33
118	27.75"	36.5"	3.25"		Hard yellow	\$1975.11
				5" x 3.5") and (2" x 5.5")	Traid yellow	\$1773.11
120	28"	36.25"	3"	Stone (1") on stone (2")	Yellow	\$1522.50
		. Chips (1"			Tellow	\$1322.30
103	28"	38.25"	3"	uge. I	Yellow	\$1606.50
				I urface, chip in corner (1" x 3.5"), minor		\$1000.30
117	28.625"	36.25"	3.5"	Stone (1.25") on stone (2.25")	Yellow	\$1815.90
				ner 6" x 6.5". Some small chips along e		\$1013.90
115	32"	42"	3.75"	1	-	\$2410.20
		ļ	3./3	2.75" stone, 1" slate	Hard yellow	\$2419.20
	uartz lines	42"	2 175"	2 175" 4 1" 1 4	TT - 1 11	\$2064.26
111	32.25"	ļ	3.175"	2.175" stone, 1" slate	Hard yellow	\$2064.26
				filled chip on edge (1"x 1").	T. 1.	#2694.24
112	32.25"	42"	4.25"	3.125" stone, 1" slate	Light grey	\$3684.24
				edge. Non-printing speckles and quart li		
121	32.25"	42.25"	3.5"	2.5" stone, 1" slate	Hard yellow / light grey	\$2670.62
				1") 8" x 11" in from edge. Non-printing		0000
113	32.25"	42.5"	3"	2" stone, 1" slate	Grey	\$2960.55
_		. Speckling		1	1	
114	32.25"	42.5"	3"	2" stone, 1" slate	Yellow	\$1644.75
Notes: Q	uartz lines	. Stone is b	roken; bes	t usable size is 14" x 32.25" and 23" x 3	32.25"	

Edward C. Lyons Engraving Tools

	Lawara	C. Lyons	, 11151	aving 1001	S	
100		Scraper/Burnisher Roulette #9 dot 85 Twisted Scribe	Roulette			
Intaglio 'Set A' Ro	oulette	Burin Square #5	55103003	#9 dot 85	1.227 OD 05	\$27
55101401 4 pc		L334-1 \$55	55103003	#9 dot 85 #9 dot 45	L336-9D-85	\$27 \$27
		Flat Graver Lg.		rregular Egg Shape	L336-9D-45	<u>\$41</u>
			55103010	rregular Egg Shape	1 220	\$46
		Round Gouge Lg.	Roulette S	ingle Dow	L338	\$ 40
311	1 1	Round Gouge sm.	55103015	85 line	1.226 01D05	\$28
		Flat Graver sm.	33103013	65 IIIIC	L336-91R85	\$20
113111	1/1/4	Point Graver				
Plate Maker Tool	Set	Point Graver			CONTRACTOR NAMED IN	
55101301 6 pc	Set	L334 \$54				-
<u>33101301 0 pc</u>	Final Control	Large Gouge	C			
			Scraper	1: 1 2 2		Φ0
		Medium Gouge	<u>55100301</u>	solid 3"	L321-01	<u>\$9</u>
C	7 2	V-Shape	<u>55100303</u>	small	L321-01S	\$9
	A AA	Knife	<u>55100304</u>	hollow 3"	L321-02	<u>\$9</u>
101	1-1			1 11 11 11 11 11		
Wood Carving To	ol Sot	Bent Chisel	0	D 11 C 1		
55101101 5 pc		L333-50 \$39		Burnisher Curved		Φ10
33101101 3 pc	with stip stolle	U-Shape	<u>55100306</u>		L321-03	\$19
		Lino Knife				
		The state of the s		A CONTRACTOR	NAME OF STREET	100
A LOW MAN		V-Shape	7			
1 2 11		Small Gouge		- 10000000	A MARKET AND A STATE OF	AND DESCRIPTION OF THE PERSON
10 11 11		Medium Gouge	Curved Bu	ırnisher		
		Large Gouge	55100407	3"	L323-02	\$9
Linoleum Tool Se	t	Φ20	55100412	small	L323-02S	\$9
55101001 6 pc		L331-0 \$39	55100410	slim 2"	L323-023	\$9
	Mezzotint Rocke	r	Burnisher 55100414	& Point Curved	L323-05	\$10
		5 line L335-1 \$46	-		OF STREET, STREET, SQUARE,	
		5 line L335-2.5 \$109	Burnisher	Ball Medium		
	Weight Set for 2 1		55100417		L323-08	\$7
	55101707	L335-w3 \$29				
	Halftone Rake: T			# EY0.483		
_		00 line L300-02 \$25	Twisted Do	ouble Point Scribe		
_		85 line L330-02 \$25	55100503		L324-04	\$7
/- I	Draw Tool / Copp	er Cutter				
5	55100901	L330-0 \$18	- 4			
	Angle Tint		D' III		AND ADDRESS OF THE PARTY OF THE	
	55100102	#2 L300-A02 \$17		Point Needle		Φ10
	55100102	#5 L300-A05 \$17	55100504		L324-05	\$18
	Elliptic Tint	πυ ∟эυυ-Αυэ Ф1/				
	55100201	#1 L300-E01 \$17	Total State			100
	55100201	#3 L300-E03 \$17	Steel Etchi	ng Needle		-
	Burin Square	π у ∟300-E03 ф1/	55100501	#1	L324-01	\$8
	55100604	#4 L325-04 \$8	22200201		2327 01	<u> </u>
-	55100608	#8 L325-08 \$8	CHES	ALCOHOLD IN COLUMN	THE REAL PROPERTY.	-
	Burin Lozenge	по 11525-00 ФО	Litho Rou	nd Needle		
	55100702	#2 L325-22 \$8	55100803	#3	L326-03	\$7
	55100706	#6 L325-26 \$8	<u>55100805</u>	#5	L326-05	\$7
<u> </u>	22100100	πο Ε323-20 ψ0	2210000		2320 03	<u> </u>



Size W x D Inches	Watts	Amp	Volt		Item#	Price
6 x 12	1000	15	110	*	231001	\$719
0 X 12	1000	13	220		231003	\$/19
8 x 14	1500	15	110	*	231005	\$799
0 X 14	1300	13	220		231006	\$199
12 x 12	1500	15	110	*	231007	\$864
12 X 12	1300	13	220		231009	\$004
12 x 18	1500	15	110	*	231010	6020
12 X 18	1900	13	220		231011	\$939
12 24	1500	1.5	110	*	231022	¢1115
12 x 24	2000	15	220		231025	\$1115
10 10	1500	1.5	110	*	231062	¢1100
18 x 18	1900	15	220		231065	\$1188
10 24	1500	1.5	110	*	231070	#1212
18 x 24	2500	15	220		231071	\$1312
24 26	1500	15	110	*	231080	¢1500
24 x 36	4000	20	220		231083	\$1599
27½ x 36	1500	15	110	*	231084	¢1020
	4000	20	220		231087	\$1929
26 26	4000	20	220		231093	00746
36 x 36	6000	30	220		231094	\$2746

*Standard household wiring

(North American standard power plug)

Professional Hot Plates

Designed for the professional and student shop. Our hot plates feature a ½" thick aluminum top plate working surface, stainless steel heating elements, stainless steel base and control box, and extremely high temperature insulation. Made in USA.

ETL Listed: Proof of product compliance to North American safety standards.




Controls:

- On/Off switch
- Power on pilot light
- Heat on pilot light
- Thermostat controlled temperature up to 550° F

Wiring: Standard 110V and 220V power are available. 6ft cord and plug. Hot plates may also be wired to meet international requirements.

Warranty: Manufacturer's one year warranty. Custom: Sizes up to 36 x 36" available. Optional work surfaces include ½" stainless steel, ¾" aluminum. Max temperature of 750° available.





Korn's Lithographic Pencils

Water soluble, paper covered crayon. Marks can withstand a relatively strong etch. Copal is extremely hard for fine work requiring a very sharp point.

*Paper cover no longer available. A crayon holder is now required. 20% off 12+

Hardness	\$4 each
#1 soft	5100101
#2 medium	5100102
#3 hard	5100103
#4 extra hard	5100104
#5 copal extremely hard	5100105



Korn's Litho Crayons

· ·	
Hardness	\$9 dozen
#00 extremely soft	5100200
#0 extra soft	5100206
#1 soft	5100201
#2 medium	5100202
#3 hard	5100203
#4 extra hard	5100204
#5 copal extremely hard	5100205

Stones 1/2" Diameter Crayons

Stones $\frac{1}{2}$ " crayons are the same material as the $\frac{1}{4}$ " crayons but are designed for a more aggressive hand. They will stand up to a forceful application and bold, expressive lines. $\frac{10\% \text{ off } 12+}{10\% \text{ off } 12+}$



Hardness	\$3 each
#1 soft	5110101
#2	5110102
#3	5110103
#4	5110104
#5 hard	5110105

Stones ¼" Diameter Crayons

Water insoluble. Sharpen easily and perform beautifully for general work to the most delicate drafting. They are designed to be used with a holder.

Hardness	🎉 15% off 12+	\$3 each
#1 soft		5110001
#2		5110002
#3		5110003
#4		5110004
#5		5110005
#6		5110006
#7 very hard		5110007



14" Crayon Holders

5110030	plastic handle gray	\$4
5110032	plastic handle black	\$4
5110031	wooden handle	\$12

Stones Tablet Crayon

Perfect for broad tonal areas, textures, and rubbings. Size 1 ¾" x 2" x ¼" 10% off 12+



<u>Hardness</u>	\$3 each
#1 soft	5110201
#2	5110202
#3	5110203
#4	5110204
#5 hard	5110205

Stones Rubbing Crayon

This type of crayon has been wrongly named "rubbing ink." It is specially formulated to smear, smudge and provide soft, smoky tones. Stones. Diameter 1 ¾"



<u>Hardness</u> № 10% off 12+	\$4 each
#1 soft	5110301
#2	5110302
#3 hard	5110303







Stones Crayons Combination Packages

Includes: three ¼" crayons (#1, #3, #5) a crayon holder, a deletion hone, a crayon sharpener and an additional chosen crayon.

	Pack	Additional Crayon	
5110501	#1	tablet (#3)	\$13
5110502	#2	rubbing (#2)	\$13
5110503	#3	tablet + rubbing	\$14



Trilobite Paste Tusche

Based on a formula from Alois Senefelder Trilobite Workshop Paste Tusche is a traditional lithographic drawing material

designed to provide optimum reticulation in a broad range of applications on both stones and aluminum plates. Water is added to the can and the tusche is dissolved to the desired value, then poured into another container to prevent it from getting darker. It is applied with a brush in much the same way you would use watercolor; lay it down and leave it alone. It can be layered allowing multiple layers to show through and responds well to etches. Etch as you would a crayon drawing.

Mix with water or solvent but not both.

5160603 (4 oz) 118 ml \$50



Liquid Tusche

Stones liquid tusche is smooth, rich and simple to use. Ideal for application in both lithography and silkscreen. It may be applied with a brush, pen, spattered,

airbrushed, or any other way that can be imagined. Produces rich, dark lines and solids for half the price of other liquid tusche. Liquid tusche does not reticulate as well as paste tusche.

<u>5110701</u>	2 oz	<u>\$11</u>
5110702	4 oz	\$18
5110703	8 oz	\$30



Liquid Tusche

Korn's liquid tusche used for stipple and pen work and filling in solids. It flows freely, resists strong etches, and produces a rich black and stores well.

5100301	2 oz	\$32
5100302	4 oz	\$52
5100303	8 oz	\$71



Autograph Ink

Korn's lithographic drawing material similar to liqud tusche. Very greasy material used for pen drawings on stones, plates and paper. Often thinned

with distilled water and sprayed through an airbrush.

5100701	2 oz	\$32
5100702	4 oz	\$52



Stick Tusche

Used to draw or block out areas. Rub on a rough dish plate or saucer and dissolve with water or solvent.

5110901	Stones	20 ml	\$12
51004	Korn's	30 ml	\$17



Snake Slips

Stones porcelain based deletion hone for use on lithographic stones.

5110801	\$4



Korn's Rubbing Ink

Achieve very fine tints by stretching fabric (coarse to fine)

over a finger and rubbing at the rubbing ink stick. Lightly rub on lithographic stones, aluminum plates or drawing films to produce very soft marks.

5100601	soft	\$12
5100602	medium	\$12
5100603	hard	\$12



Stabilo Pencil

A great opaque drawing tool to use on substrates such as Artex, Velvet Tone, or matte polyester film. (Not for use on litho stones or ball-grained aluminum plates.) 510200 #8046 black 10% off 12+ \$1.50



Film Opaquer Pens

Light blocking black ink great for drawing on films.

3910 broad point #1102 \$7

3911 fine point #1100 \$7



Zig Opaque Pens

Preferred light-opaque ink pens great for drawing on films. Red color.

3930	[SF] super fine	OP-005	\$7
3932	[F] fine	OP-220	\$7
3936	[BR] rubber brush	OP-55	\$7
3934	[B] broad chisel tip	OP-88	\$7





Ink, Paint & Flammable Storage Cabinets

500 lb capacity galvanized shelves, adjustable on 2 ½" centers. Cabinets come in red only. "Flammable Keep Fire Away" label included.

Item# 2050140	44"H x 43"W x 18"D, 270 lb
40 gallon, 3 shelves	893011 \$850 <mark>*</mark>
Item# 2050160	65"H x 43"W x 18"D, 385 lb
60 gallon, 5 shelves	894511 \$1087 <mark>*</mark>



Acid Storage Cabinets 500 lb capacity, corrosion resistant shelves with plastic trays, adjustable on 2 ½" centers. Cabinet comes in blue only. Includes "Acid" label to identify contents.

Item# 2050230	44"H x 43"W x 18"D, 253 lb
30 gallon, 1 shelf, 2 tray	893002 \$895
Item# 2050245	65"H x 43"W x 18"D, 350 lb
45 gallon, 2 shelf, 3 tray	894502 \$1067 <mark>*</mark>



Dispensing Bottle (Flammable Liquids)

Rugged polyethylene body. Leakproof and self-closing brass dispenser valves to minimize spills and control excess. Brass valves are FM-approved and recommended for flammables only. 206020 1 quart bottle 14010 \$49 *



Flammable Terne Plate Waste Can

Round construction and elevated bottom encourage circulation of air around can to disperse heat and prevent spontaneous combustion. Onepiece, foot-operated cover.

206030 6 gallon 09100 \$79 *

*WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



Safety Glasses

Protective eyewear, gel nose-piece, and polycarbonate wrap around lens.

Item #522310 \$4.95



Protective Goggles

Protective eyewear with soft vinyl frame and fog free acetate lens. Indirect venting for chemical splash protection. Fits over prescription glasses.

Item #522312 \$7.95



General Purpose Shop Towel

This low-lint blue cloth-like towel does well on solvent, oil, or water-based inks. May be washed and reused. 11" x 14"

-		
Item #522105	55 sheet roll	\$5
Item #522106	case of 6 rolls	\$24



Kimwipes

Soft, lint-free, textureless wipes. Ideal for processing photo polymer etching plates and films. 15" x 17" sheets.

Item #522101	carton of 140 wipes	\$11.50
Item #522102	case of 15 cartons	\$145.00

AGD Wipes

Soft, strong, absorbent & lint free. 8" x 8"
522103 cotton wipe elite 100 pcs



Disposable Nitrile Gloves

10" length, this 5 mils thick glove provides greater protection than latex. Boxes of 100.

\$9

Item #522210	small	\$14.95
Item #522211	medium	\$14.95
Item #522212	large	\$14.95
Item #522213	X-large	\$14.95



Standard Duty Nitrile Gloves

13" mid-forearm length and 15 mils thick. Good solvent protection.

Item #522230	small	(7)	\$4.50 per pair
Item #522231	medium	(8)	\$4.50 per pair
Item #522232	large	(9)	\$4.50 per pair
Item #522233	X-large	(10)	\$4.50 per pair
Item #522234	XX-large	(11)	\$4.50 per pair



Neoprene Gloves

14" forearm length and 30 mils thick. Excellent protection from solvents and acid handling.

Item #522240	small	(7)	\$10.50 per pair
Item #522241	medium	(8)	\$10.50 per pair
Item #522242	large	(9)	\$10.50 per pair
Item #522243	X-large	<u>(10)</u>	\$10.50 per pair



Soysolv II

Water rinseable, non-toxic, no VOC, biodegradable, nonflammable. Removes:

Tar, grease, oil, decals, hydrocarbons, adhesives, asphalt, styrofoam, paints, rubber compounds, and more.

Directions:

Soysolv II is a concentrate with excellent rinsibility. It is mixed with water for most applications or can be used full strength for tough cleaning jobs. Made In U.S.A.

541301	Quart	\$19
5541305	Gallon	\$38



Dispensers

Empty one gallon jugs and dispensing pumps for one gallon jugs and five gallon pails available.

31105	empty jug (1 gallon)	\$5
522411	dispensing pump (1 gallon)	\$6
32230	dispensing pump (5 gallon)	\$22



Spray Bottle

32 oz general purpose bottle with adjustable nozzle. Ideal for Soy Solv II or Varn 120 roller wash.

<u>Item #522410</u> \$4



Citra-Solv

A natural plant derived cleaner and degreaser containing D' Limonene (clear liquid from the peel of the orange). Can be used to transfer toner from laser printer prints to substrates with the aid of a press.

<u>Item #541201</u> 16 oz \$15



Gamsol

Highly refined odorless mineral spirits (OMS) that evaporate 100% and leave no sticky residue. Gamsol is 100% aliphatic, which means it contains no harmful aromatic components.

Item #5052011	16 oz can	\$12
Item #5052012	32 oz can	\$17
Item #5052013	1 gallon can	\$45



Takach Press Logo Apron

This apron's unique design eliminates the annoyance of a strap around the back of the neck. The most comfortable apron you will spend a work day in. Available in black with gold or silver logo and text.

Item #52001	gold	\$25
Item #52003	silver	\$25

Varn 120 Roller Wash

Water miscible roller and brayer wash. May be used full strength or mixed with 20%-30% water. Contains rubber rejuvenates and synthetic detergents. Apply to clean rollers and brayers of ink then use a clean rag to wipe completely dry.



<u>Item #44150 1 gallon \$44</u>

TKO Hand Cleaner

Used in Takach Press's manufacturing facility for years. We can testify that this hand cleaner works well on ink, paint, grease, or dirt. Tiny scrubbing beads combined with lanolin and other emollients provide excellent results without the heavy odor.



Item#	Description		Price
522420	1 gallon container	8 lb	\$28
522411	dispensing pump (reus	sable)	\$6




Tarlatan (Regular)

522011 36" wide	5 yd min.	\$2/yd
522012 36" wide	100 yd bolt	\$180
Tarlatan (Stiff)	•	



522021 36" wide 5 yd min. \$2/yd. 522022 36" wide 100 yd bolt \$180

Cheesecloth 522031 36" wide 5yd min.





Kimwipes

Ink Knives

Soft, lint-free, textureless wipe. Ideal for processing photo polymer etching plates and films. 15" x 17" sheet.



<u>522101</u>	carton of 140 wipes	\$11.50
<u>522102</u>	case of 15 cartons	\$145

\$ 0.75

Plastic Ink Spreader 522304 3" x 4"

The Con-	-
100	-

THIR TEHT (CO		
522301 tapered 3"	stiff	\$12
522302 1 1/4"	stiff	\$9
522303 1 1/4"	flexible	92



Russell Ink Knives

	• .•		
5223110	11/4"	flexible	\$10
5223111	11/2"	flexible	\$11
5223112	2"	flexible	\$12
5223120	11/4"	stiff	\$10
5223121	11/2"	stiff	\$11
5223122	2"	stiff	\$12



Razor Scraper

<u>522307</u>	Retractal	ole	\$3
522309	Richard (non-retractable)	\$3
522308	Blades	100 pack	\$9



Ink Can Skin Papers: Pack of 100

<u>Item</u>	Diameter	Ink can size	
541081	3 ¾"	1 lb	\$5
541082	5 1/4"	800 ml	\$10
541083	6"	5 lb	\$10



Anti Skin Spray

Minimizes oxidation and skinning from the surface of ink.





Museum	quality. Neu	tral PH.
522401	Diag Storch	8 0

<u>522401</u>	Rice Starch	8 oz	<u>\$16</u>
522402	Wheat Starcl	h 8 oz	\$18
522431	PVA NEW	8 oz	\$7
522432	PVA NEW	1 quart	\$20
522433	PVA NEW	1 gallon	\$49



Graphic Chemical Litho Ink:

Graphic Chemical's line of lithography inks. 1 lb cans.

<u>5025202</u>	Litho Red	1900C	<u>\$21</u>
5025212	Madder Lake	1907C	\$35
5025222	Coral Red	1908C	\$39
5025232	Litho Orange	1915C	\$29
5025242	Process Red	1929C	\$21
5025302	Permanent Process Yellow	1901C	\$22
5025312	Lemon Chrome Yellow	1905C	\$28
5025322	Semi-Opaque Yellow	1912C	\$30
5025332	Primrose Yellow	1918C	\$33
5025402	Dark Blue	1902C	\$39
5025412	Permanent Process Blue	1906C	\$21
5025422	Cerulean	1913C	\$19
5025432	Milori Blue	1914C	\$17
5025442	Thalo Blue	1927C	\$23
5025452	Lithographic Purple	1930C	\$22
5025502	Litho Dark Brown	1903C	\$20
5025512	Yellow Ochre	1909C	\$15
5025522	Burnt Sienna	1922C	\$16
5025532	Raw Sienna	1923C	\$15
5025542	Burnt Umber	1925C	\$16
5025552	Raw Umber	1926C	\$22
5025602	Emerald Green	1904C	\$21
5025012	Litho Black-Process Black	1796C	\$20
5025022	Senefelder's Crayon Black	1803C	<u>\$45</u>
5025032	Senefelder's Crayon Gray	1916C	\$19
5025042	Roll-up Black	1921C	\$20
5025052	Shop Mix Black	2244C	<u>\$74</u>
5025112 □	Litho Opaque White	1000C	\$27
5025122	Tint Base Extender	1911C	\$14
5025132 □	Stiff Opaque White	1928C	\$22
	C	4 - C -	



Sureset Compound: compare to Setswell 540103 Graphic 2378C 1 lb \$16



Cobalt Drier

Add in very small amounts. Speeds the drying time of ink. 540211 Hanco 25-1100 pint \$17

540211 Hanco 25-1100 pint Litho Varnish: Modifies ink body,

5031805 body gum1 lb 25-2600



maintains	origina	al tack.	Listed thin	to thick
540101	#00	pint	25-2200	\$9
540111	#3	pint	25-2300	\$9
540121	#5	pint	25-2400	\$10
540131	#7	nint	25-2500	\$10

\$12



Magnesium Carbonate

Used to stiffen ink.

540202 Hanco 1 lb 25-2700 \$ 12



Setswell Compound

Keeps ink layers open, able to accept and trap subsequent ink layers. Controls tack. 5031801 Hanco 1 lb 25-1500 \$14



Hanco Litho Ink

High strength, full-bodied ink made of finely ground specialty pigments. Provides the superior permanence master printers

require for lasting impressions.
All inks are without drier. Sold in 1 lb cans unless noted.

*Denotes a semi archival variant, all other inks are fully archival

fully archi				
Item#	Color	Old Code	SKU	
5031811	Process Yellow	(Y-1137)	21-1100 21-1200	\$25
5031001	* Process Yellow	(CS-100)	21-1200	\$16
5031221	Primrose Yellow	(Y-2710)	21-1300	\$26
5031271	Warm Yellow	(Y-2716)	21-1400	\$26
5031821		(OR-1070)	21-1500	\$26
	* Dright Orange	\leftarrow	21-1600	\$16
5031011	* Bright Orange	(CS-200)		
5031831	Flame Red	(R-1184)	21-1700	\$19
5031841	Warm Red	(R-1185)	21-1800	\$26
5031031	* Warm Red	(CS-310)	21-1900	\$19
<u>5031851</u>	Process Magenta	(R-1186)	21-2000	\$26
<u>5031041</u>	* Process Magenta	(CS-320)	21-2100	<u>\$17</u>
5031861	Ruby Red	(R-1187)	21-2200	\$26
<u>5031051</u>	* Ruby Red	(CS-330)	21-2300	\$17
5031871	Orchid Red	(R-1188)	21-2400	\$34
5031881	Fire Red	(R-1189)	21-2500	\$26
5031891	Dark Red	(R-1190)	21-2600	\$26
5031341	Hoosier Red	(R-6711)	21-2700	\$26
<u>5031901</u>	Purple	(P-1090)	21-2800	\$34
<u>5031401</u>	Deep Violet	(P-685)	21-2900	\$26
5031411	Carbazole Violet	(P-1186)	21-3000	\$34
5031111	Phthalo Blue	(CS-410)	21-3100	\$17
<u>5031121</u>	Process Cyan	(CS-414)	21-3200	<u>\$17</u>
5032081	Process Blue RS	(B-7501)	21-3300	\$24
5031141	Milori Blue	(CS-430)	21-3400	\$17
5031441	Intense Blue	(B-7493)	21-3500 21-3600	\$24
5031151	* Intense Blue	(CS-450)	21-3600	\$18
5031461	Ultra Blue	(B-7497)	21-3700	\$25
5031481	Cerulean Blue	(B-7503)	21-3800	\$24
5031171	Phthalo Green	(CS-500)	21-3900	\$21
		$\overline{}$	21-4000	
5031511	Xmas Green	(G-4996)		\$27
5031541	Grass Green	(G-5001)	21-4100	\$27
5031561		(BN-3428)	21-4200	\$26
<u>5031591</u>		(BN-3433)	21-4300	\$26
<u>5031601</u>	Leaf Brown	(BN-3434)	21-4400	\$26
<u>5031971</u>	l Sepia	(CS-600)	21-4500	<u>\$15</u>
<u>5031981</u>	Raw Umber	(CS-610)	21-4600	<u>\$15</u>
5031991	Burnt Umber	(CS-620)	21-4700	\$15
5032001	Raw Sienna	(CS-630)	21-4700 21-4800	\$15
5032011	Burnt Sienna	(CS-640)	21-4900	\$15
5032021	Yellow Ochre	(CS-650)	21-5000	\$15
5031631	Richtone Gray	(T-3023)	21-5100	\$24
	Crayon Black	(BK-1015)		\$31
5031661 5031041			21-5200	
<u>5031941</u>		(BK-1076)	21-5300	\$42
<u>5032101</u>	Rolf-Up Black	NEW .	21-5400	\$51
<u>5031181</u>	Process Black	(CS-700)	21-5500	\$16
<u>5031681</u>			21-5600	<u>\$16</u>
5031671	SMA Black	(BK-1018)	21-5700	\$16
Tint Base				
	Tint Base 1 lb	(CS-800)	21-5800	\$15
5031202	Tint Base 4.75 lb	(CS-800) (CS-800)	21-5801	\$73
	Stiff Tint Base 1 lb	(W-1075)	21-5900	\$22
5031653	Stiff Tint Base 5 lb	(W-1075)	21-5901	\$99
White	Dan Tim Dasc J 10	(**-10/3)	<u> 41-3701</u>	Ψ
	Onegue White 1 5	1h(CC 950)	21 6000	¢25
	Opaque White 1.5			
<u> 5031212</u>	Opaque White 8.5	<u>10(C2-830)</u>	<u> </u>	<u> </u>

5031691 Stiff Opaque White 1.5lb w-1005 21-6100 \$26 5031693 Stiff Opaque White 8.5lb w-1005 21-6101 \$138

Hanco Metallic Litho Inks

5031781	Brilliant Silver	(CS-950)	24-1500	\$23
5032041	Brilliant Rich Gold		24-1600	\$32
5032061	Brilliant Copper	(CS-953)	24-1700	\$32
Hanco Li	tho Ink Modifiers			
540281	Flash Oil pint	(MS-1022)	25-1400	\$7
5031801	Setswell pint	MS-1025	25-1500	\$14
5031961	Tu Way Drier pint	MS-1014	25-1200	\$17
540291	Clearset pint	MS-1008	25-1600	\$13
Cans	1			•
206131	Empty Ink can	111	s \$	2.50



Charbonnel Litho Ink

Roll Up black Noll A M	omer
5040012 unavailable	200 ml \$34
5040013	800 ml \$115
	000 1111 0113
Black Velvet (deep)	
5040022	200 1 \$22
JU 1 UUZZ	200 IIII \$32



Portland Litho Black

Portland Litho Black is an artist-grade lithography color. Created with high quality burnt plate oil and a high pigment load for a rich and

detailed black for printing plate and stone lithography. 5053011 Gamblin L3001 11b \$19.95



Russell Ink Knives

5223110	11/4"	flexible	\$10
5223111	1½"	flexible	\$11
5223112	2"	flexible	\$12
5223120	11/4"	stiff	\$10
5223121	1½"	stiff	\$11
5223122	2"	stiff	\$12



Richard Razor Scraper

This non-retractable scraper is simple, easy to clean and fits a standard single-edge razor. 522309

<u>\$3</u>

Charbonnel Tradition	nal Etchi	ng Ink 🏗)		Hanco Etching Ink [H]
Traditional oil based e	tching ink	s. An exte	nsive pale	ette	5030011 Lemon Yellow Y-1056 22-1100 \$15
of vibrant colors. and	purpose sp	pecific blac	ck inks.		5030001 Process Yellow Y-1072 22-1200 \$16
Price Groups	60 ml	200 ml	800 ml	<u> </u>	5030021 Orange OR-1047 22-1300 \$16 5030041 Medium Red R-1066 22-1400 \$16
	\$15	\$37		A	5030031 Crimson Red R-1067 22-1500 \$15
	\$14	\$32		B	5030061 Process Magenta R-1133 22-1600 \$16
CHARBONNEL \	\$17	\$44		C	5030051 Dark Red R-1140 22-1700 \$17
RONDÉ EN 1862	\$16	\$41	Ф7.4	D	5030081 Purple P-1213 22-1800 \$23
	\$13 \$12	\$26 \$24	\$74	<u>E</u> F	5030071 Carbazole Violet P-1068 22-1900 \$23 5030131 Cobalt Blue B-1208 22-2000 \$13
	\$12	Φ 24		Г	5030091 Ultramarine Blue B-1192 22-2100 \$1
Lemon Yellow	5042001	5042002		A	5030121 Midnight Blue B-1194 22-2200 \$17
Primrose Yellow	5042011	5042012		A	5030111 Milori Blue B-1107 22-2300 \$16
Permanent Yellow	5042021	5042022		A	5030101 Phthalo Blue B-1193 22-2400 \$10
Deep Yellow	5042031	5042032		В	5030141 Process Cyan B-1209 22-2500 \$16 5030241 Yellow Ochre Y-1073 22-2600 \$15
Indian Yellow	5042041	5042042		Α	5030221 Raw Sienna Y-1177 22-2700 \$15
Apricot Yellow	5042051	5042052		A	5030181 Dark Brown BN-1043 22-2800 \$15
Nasturtium Yellow	5042061	5042062		C	5030191 Sepia BN-1044 22-2900 \$15
Vermilion Red	5042071	5042072		A	5030201 Raw Umber BN-1045 22-3000 \$13
Warm Red	5042081	5042082		D	5030211 Burnt Umber BN-1046 22-3100 \$13 5030231 Burnt Sienna BN-1048 22-3200 \$13
Cardinal Red	5042091	5042092		A	5030151 Medium Green G-1077 22-3300 \$10
Carmine Red	5042101	5042102		D	5030161 Shamrock Green G-1078 22-3400 \$10
Ruby Red	5042111	5042112		<u>C</u>	5030171 Phthalo Green G-1079 22-3500 \$18
Geranium Red	5042121 5042131	5042122 5042132		A	5030301 Paynes Gray T-1120 22-3600 \$13
Madder Lake Solferino Violet	5042131	5042132		D C	5030251 Intense Deep Black BK-1040 22-3700 \$135030261 Warm Black BK-1041 22-3800 \$135030261 Warm Black BK-1040 \$150030261 Warm Bk-1040 \$150030000000000000000000000000000000000
Permanent Violet	5042141	5042142		C	5030261 Warm Black BK-1041 22-3800 \$15 5030271 Process Black BK-1042 22-3900 \$15
Concentrated Blue	5042151	5042152		C	5030281 Bone Black BK-1052 22-4000 \$15
Orient Blue	5042171	5042172		$\overline{\mathbf{B}}$	5030291 Blue Black BK-1061 22-4100 \$16
Prussian Blue	5042181	5042182		B	5030361 Transparent Base W-1009 22-4200 \$17
Ultramarine Blue	5042191	5042192		E	5030371 Opaque White W-1011 22-4300 \$17
Cobalt Blue Hue	5042201	5042202		Е	Metallic Hanco Etching Ink 5030311 Silver MS-1056 24-1100 \$22
Cerulean Blue Hue	5042211	5042212		Е	5030321 Rich Gold MS-1057 24-1200 \$22
Ocean Blue	5042221	5042222		Α	5030341 Copper MS-1059 24-1400 \$23
Turquoise Blue	5042231	5042232		E	Charbonnel Âqua Wash Etching Ink
Spring Green	5042241	5042242		A	Cleaned using soapy water, alcohol for deeper etches.
Permanent Green	5042251	5042252		<u>C</u>	5043011 Primrose Yellow 60ml \$14 5043021 Deep Yellow 60ml \$14
Medium Green	5042261	5042262		<u>B</u>	5043031 Geranium Red CHARDONNEL 60ml \$14
Sap Green	5042271	5042272		A	5043041 Cardinal Red \$14
Emerald Green Permanent Viridian	5042281	5042282		A	5043051 Vermillion Red 60ml \$14
Yellow Ochre	5042291 5042301	5042292 5042302		A F	5043061 Ultramarine Blue 60ml \$1
Raw Sienna	5042311	5042302		E	5043071 Prussian Blue 60ml \$12 5043081 Ocean Blue 60ml \$12
Burnt Umber	5042321	5042312		E	5043091 Emerald Green 60ml \$12
Sanguine	5042331	5042332		Ē	5043101 Paynes Gray 60ml \$11
Red Ochre	5042341	5042342		F	5043111 Bistre 60ml \$12
Burnt Sienna	5042351	5042352		Ē	5043121 Sanguine 60ml \$14
Colored Sepia	5042361	5042362		Е	5043131 Raw Sepia 60ml \$12 5043141 Warm Sepia 60ml \$12
Raw Sepia	5042371	5042372		Е	5043141 Warm Sepia 60ml \$14 5043151 Yellow Ochre 60ml \$15
(Basic) Bistre	5042381	5042382		E	5043161 Burnt Sienna 60ml \$11
Raw Umber	5042391	5042392		_E	5043171□ Snow White 60ml \$12
Van Dyck Brown	5042401	5042402		В	5043181 Black RSR 60ml \$1
Payne's Gray	5042411	5042412		F	5043182 Black RSR 150ml \$22
Gold	5042421			A	5043191 Black 55981 60ml \$13 5043192 Black 55981 150ml \$22
Silver	5042431	5042432	7 0.44.000	A	5043201 Black F66 60ml \$1
Black 55985 Very Dense		5041082	5041083		5043202 Black F66 150ml \$22
Black F66 Medium Dense		5041032		F	5043211
Soft Black	5041041	5041042		F	5043212 Carbon Black 150ml \$22
■ Black RSR ■ Black Luxe C		5041052 5041062		_F _E	5043221 Black 55985 60ml \$15043222 Black 55985 150ml \$22
Black 55981 Universal	5041071	5041062	5041073		5043221 Black 53983 130ml 522 5043231 Black Luxe C 60ml \$11
Carbon Black	5041071	JU#1U/Z	JU 1 10/3	E	5043232 Black Luxe C 150ml \$22
Snow White TI	5041101	5041002		E	Charbonnel Aqua Wash Mediums
Snow White RS	5041011	5041012		E	5043241 Medium Soft Black Wiping 60ml \$1
□Cover White RS	5041021			E	5043251□ Transparent Medium 60ml \$10 5043261 Aqua Wash Oil 75ml \$9
☐White Trans. Lake	5041201			В	5075201 Aqua wasii Oii /3iii \$5

	Gamblin Ink [©]	
GAMBLIN	Strong reliable oil based inks, w	ith high
ARTISTS OIL COLORS	pigment content.	
	Formulations for relief or etchir	_
		300 ml)
5050011	Portland Black	
5050021	Stiff Portland Black	
5050031	Portland Cool Black	
<u>5050041</u>	Bone Black	
<u>5050051</u>	Carbon Black	
<u>5050061</u>	Graphite	
<u>5050071</u>	Dioxazine Purple	
<u>5050081</u>	Hansa Yellow Light	
<u>5050091</u>	Napthol Red	
<u>5050101</u>	Phthalo Green	
<u>5050111</u>	Prussian Blue	
<u>5050121</u>	Quinacridone Red	
<u>5050131</u>	Sepia	
5050141	Ultramarine Blue	
<u>5050151</u>	Yellow Ochre	
<u>5050161</u>	Etching White	
<u>5050171</u>	Transparent Base	
	Relief Ink:	175 ml
5051101	Portland Intense Black	
<u>5051121</u>	Sepia	
5051131	Phthalo Blue	
<u>5051141</u>	Quinacridone Red	
<u>5051151</u>	Prussian Blue	
<u>5051161</u>	Napthol Scarlet	
5051171	Hansa Yellow Light	
5051181	Phthalo Green	
<u>5051191</u>	Transparent Base	
<u>5051111</u>	Titanium White	
<u>5051201</u>	Tom Huck's Outlaw Black	1 lb
	Textile Ink:	
<u>5052001</u>	Textile Black (Drive By Black)	1 lb
Modifiers	: Hanco @Gamblin GC Graphic	·œ \
The second	Magnesium Carbonate (ink st	,
	5052031 ©	100 g
Burnt Pla	540202	1 lb
		9 07
<u>5052051</u>		8 oz pint
540011 5052061		
		8 oz
540021 540031		<u>pint</u>
540031 540041	- #3	<u>pint</u>
	ucer: Reduces tack, for easy wipi	pint_
5052041	G Tack Reducer	ng. 150ml
540242	GC Easy Wipe	1 lb
5031801	U Setswell	pint
540291	U Clearset	pint
5.0251	Wonder Gel: Compare to Mira	

__pint \$13 Wonder Gel: Compare to Miracle Gel Non-greasy tack reducer, to minimize roller marks and paper cling. Won't change ink color. 5031697 ⊞ 25-1700 (MS-1175)1 lb



Zea Mays Transparent Etching Base_ Zea Mays Printmaking developed this soft, short bodied substitute for Faust Q699. \$18



\$17 \$17 <u>\$17</u> \$17 \$17 \$22 \$25 \$25 \$22 \$22 \$22 <u>\$25</u> <u>\$22</u> \$22 \$17 \$17 \$17

\$13 \$16 <u>\$19</u> \$16 \$16 <u>\$19</u> \$19 \$19 \$13 \$13

\$19

\$19

\$11

\$12

\$9

<u>\$9</u>

\$9

<u>\$9</u>

\$10

\$10

\$9 \$18

\$14

Graphic Chemical Etching Ink GC Oil based inks for all etching / intaglio processes. The *perfection palette line is additionally suitable for relief.

	additionally suitable for relief.	
Graphic (Chemical Etching Ink: 1 lb can	
	Stiff Black	135C \$18
	Blue Black	327C \$16
	Bone Black	514C \$17
	Vine Black	1014C \$19
	Renaissance Black	2398C \$17
5020062 5020072		2326C \$17
5020072	*Intense Black	1797C \$17
	*Process Black	2348C \$18
	Dark Brown	545C \$16
	Burnt Umber	603C \$16
<u> 5020122 </u>	Burnt Sienna	753C \$15
5020132	Yellow Ochre	1028C \$14
5020142	Raw Sienna	1055C \$16
5020152		1717C \$16
5020162		2265C \$17
5020172		2331C \$16
5020182		2334C \$19
5020192		2341C \$20
	Midnight Blue	579C \$19
		2314C \$21
5020212	Carbazole Violet	
5020222 5020222	Thalo Turquoise	2337C \$20
5020232	Thalo Blue - Green Shade	2343C \$19
<u>5020252</u>	*Thalo Blue - Red Shade	1016C \$19
5020262	*Ultramarine Blue	1017C \$35
5020272	*Cobalt Blue	1024C \$18
<u>5020282</u>	*Permanent Peacock Blue	2041C \$25
5020292	*Process Blue	2346C \$20
5020352	Thalo Red	2336C \$19
5020362	*Rose Madder	1018C \$29
5020372	*Cadmium Red Dark	1025C \$30
5020412	*Cad Red Medium	2327C \$23
5020382	*Cadmium Red Light	1026C \$29
5020392	*Bright Red	1044C \$19
5020402	*Alizarin Crimson	2138C \$16
5020422	*Process Magenta	2347C \$19
5020502	Green	577C \$23
		2333C \$16
	Thalo Viridian	
5020522 5020522	Deep Forest Green	
5020532		1022C \$17
5020542	*Thalo Green	2099C \$24
<u>5020582</u>	Orange	2292C \$24
5020592		1020C \$41
<u>5020602</u>	*Process Yellow	2349C \$21
<u>5020612</u>	*Diarylide Yellow	1599C \$21
<u> 5020622 </u>	*Cadmium Orange	1021C \$21
<u>5020702</u>	Opaque White	1000C \$27
5020722 □	□* Radiant White	2411C \$19
5020732	*Payne's Gray	2325C \$16
5020802	Silver Brilliant Metallic	1861C \$22
5020812	Karat Gold	2027C \$29
5020822	*Copper Bronze	2248C \$29
5020832	*Pale Gold	2316C \$29
Modifiers	1 410 0014	2310C \$\(\pi\)2\(\frac{1}{2}\)
540222	Etching Base	889C \$14
5025122 540242		1911C \$14
540242 5020712	Easy Wipe	2353C \$18
<u>5020712</u>	Transparent White Extender	2410C \$20

Akua-Kolor Inks

- A thin, water based ink for monotype and block printing
- This lightfast fluid pigment won't dry on the slab and cleans up with soap and water
- Compatible with Akua Intaglio Inks

Akua Liquid Pigment Sets				Save 10%
50075		Set 1		\$72
50075	•	Set 2		\$158
50077		Set 3		\$72
50077	Professional Color S			\$267
	iquid Pigment 4 oz (1) Rottl	·
	Lemon Yellow	10 1111	Dott	\$11
50002	Hansa Yellow		•	\$12
50003			•	\$13
50025	Pyrrole Orange		•	\$14
50005	Scarlet Red			\$13
50006	Crimson Red		•	\$14
50007	Quinacridone Red		•	\$14
50008	Quinacridone Violet			\$14
50009	Ultramarine Blue		•	\$12
50010	Phthalo Blue		•	\$12
50011	Phthalo Blue Green		•	\$12
50012	Phthalo Green Yellow	V	•	\$12
50013	Phthalo Green Blue			\$12
50015	Yellow Ochre		•	\$11
50017	Burnt Sienna		•	\$11
50018	Red Oxide			\$11
50020	Burnt Umber			\$11
50021	Raw Umber		•	\$11
50022	Lamp Black		•	\$10
50023	Jet Black		•	\$10
<u>50024</u>	Titanium White		•	\$11
Modifie	rs			
50060	Retarder		• •	\$8
50061	Blending Medium		• •	\$8
<u>50062</u>	Tack Thickener		• •	\$8
50063	Extender		• •	\$8
50116	Release Agent			\$14



Akua Tools

51432 Variety Needle Set \$24



51435

Akua Pin Press 20"

Designed to print monotypes. 52300

Akua Starter Set (6 piece)

Intaglio Ink 2 oz Hansa Yellow, Crimson Red, Carbon Black, Transparent Base Liquid 1 oz Phthalo Blue, Blending Medium with instruction guide \$19



Akua Intaglio Inks

- A thick formula water based ink for intaglio and relief
- This lightfast intaglio ink won't skin in the jar and cleans up with soap and water

Akua Intaglio Ink Sets Save 10%				
	Intaglio Starter Set		\$99	
50161	•	•	\$480	
	taglio 8 oz Jars		- 4.00	
	Graphite	•	\$15	
50127	Paynes Gray		\$15	
	Bone Transparent Black		\$15	
	Mars Faster Drying Black		\$15	
50101	Carbon Black (16oz option 50141 \$26.95)		\$15	
50102	Lamp Black		\$15	
50103	Hansa Yellow		\$17	
50120	Diarylide Yellow	•	\$19	
50121	Pyrrole Orange	•	\$20	
<u>50105</u>	Crimson Red		\$19	
<u>50110</u>	Red Oxide		\$16	
<u>50133</u>	Cad Red Medium	•	\$19	
<u>50126</u>	Quinacridone Magenta	•	\$20	
50114	Scarlet Red	•	\$19	
<u>50115</u>	Carbazole Violet	•	\$22	
<u>50122</u>	Ultramarine Blue	•	\$17	
<u>50107</u>	Phthalo Blue		<u>\$17</u>	
<u>50132</u>	Prussan Blue		\$17	
50108	Phthalo Green	•	\$17	
<u>50128</u>	Oxide Green		<u>\$16</u>	
50109	Yellow Ochre	•	<u>\$16</u>	
<u>50117</u>	Burnt Sienna		<u>\$16</u>	
<u>50119</u>	Burnt Umber	•	<u>\$16</u>	
<u>50118</u>	Raw Umber	•	\$16	
<u>50111</u>	Van Dyke Brown	•	\$16	
50123	Metallic Silver	•	\$17	
	Metallic Gold	•	\$17	
<u>50112</u>		•	\$16	
<u>50125</u> □	Opaque White	•	\$17	
Modifier				
50113	Mag Mix (ink stiffener)		\$14	
	ransparent Base (16oz option 50140 \$26.95)		\$14	
50116	Release Agent		\$14	
<u>50026</u>	Carborundum Gel		\$14	

Akua Wiping Fabric

\$225

Akua inks will not dry or harden on this polyester, lint free, long lasting, tarlatan alternative.

522041	19" wide	5yd min. \$2/yard
522040	19" x 10 yard	\$15
522042	19" wide 100 yard bolt	\$125



Tamarind Techniques for Fine Art Lithography

Signed by the three authors:

- •Marjorie Devon
- •Bill Lagattuta
- •Rodney Hamon Hardcover, 2009.

A must-have for every lithographer, workshop, library and classroom.

This full-color technical manual contains step-bystep directions for all processes used at Tamarind. Guidance for establishing a print studio, safety and storage information on chemicals, and advice about maintaining quality, documenting editions, and caring for works of art on paper.

Item #53026 Signed Copy 302 pages \$85



Tamarind Institute

The Art Of Lithography Working On Stone Item #53001 26 min DVD The Art Of Lithography Working On Plate Item #53002 24 min DVD \$50

Four Stones For Kanemitsu Item #53003 28 min DVD \$30



Aluminum Plate Lithography A Manual

By Tamarind Institute. Covers current techniques on aluminum plate, with a trouble shooting guide. Item #53005

\$25 45 pages



Photolithography A Manual

By Tamarind Institute. Covers positive plate, negative plate, films, registration, stone matrix, and exposure methods. Item #53011 30 pages \$25



Revised Lithography Lab Manual

By Lise Drost. Covers both basic and advanced processes on stones, hand drawn aluminum plates, and photo litho plates.

Item # 53013 187 pages \$25



Marks From The Matrix

Catalogues the limited edition prints of Normal Editions Workshop 1976 - 2006. Hard and soft cover both 186 pages. Item #53031 hard cover \$55 Item#53030 soft cover \$39



A View from the South

The Narrative Art of Boyd Saunders. Hardcover 10.5"x12" 240 pages.

Item #53040 hard cover



Between Ink and Paper

Catherine Kernan modifies Akua Kolor & Intaglio inks to achieve brilliance, transparency, rich & subtle colors. Large scale viscosity rolls are sure to inspire! Item #53035 85 min DVD \$39.95



Akua Instructional DVD

Monotype with Akua-Kolor. Covers color mixing, modifier selection and printing. Item #53010 50 min DVD



Printmaking With Photopolymer Plates

Complete step-by-step instructions. Photopolymer plates history, and exposure unit schematic. By Dianne Longley.

Item #53017 112 pages \$49.95



Magical Secrets About Chine Collé

Pasting, Printing, Mounting and Leafing Step-by-Step, By Brian Shure.

Item #53023 197 pages & DVD \$54



Magical Secrets About Line Etching &

Engravings: The Step-By-Step Art Of Incised Lines: step-by-step techniques.

Item #53019 207 pages & DVD \$49



Magical Secrets about Aquatint

Spit Bite, Sugar Lift and Other Etched Tones Step-by-Step: By Emily York.

Item #53020 360 pages & DVD \$54



New Grounds

The Manual For Non-Toxic Etching

A comprehensive and detailed approach to making etchings safely. It is based on the methods employed and taught by New

Grounds. With materials lists, step-by-step instructions and troubleshooting sections, this book offers guidance for etchers on all levels. It is invaluable for those wishing to make the transition from toxic to non-toxic etching, and it is suited as a textbook for an etching class.

published March 2014 \$34 Item #53025 \$30

Terms And Shipping

Terms Of Sales: Payment due net 30 days on open accounts. Public funded schools - purchase orders accepted for all products. Individuals placing orders for printing presses - a minimum down payment equal to one-third of the total package price is required. The balance of payment is due before shipment.

Return Policy: A 20% restocking charge may apply. No returns after 30 days.

Foreign Sales: Funds to be paid in USA dollars with funds drawn on a USA bank. All applicable taxes duties or fees are the responsibility of the purchaser.

Warranties: All presses carry a written 20 year warranty. Electrical components packages on presses are covered by separate manufacturers warranty. Other products carry manufactures warranties.

Received Shipments: All presses are shipped set up, inspected and tested. To protect your interest, we strongly suggest you inspect items before accepting delivery. If shipping damage or shortage has occurred it should be noted on the freight bill and a claim filed immediately with the carrier. We will assist you with filing a claim but cannot file for you.

Shipping: Charges are quoted separately on all orders. All orders weighing up to 150 pounds are shipped UPS. Certain size restrictions may apply. Items in excess of 150 pounds will be shipped motor freight. Items deemed hazardous by D.O.T. will be shipped by UPS. UPS HAZARDOUS MATERIAL charges of \$30 per package will apply. Liquid products ship UPS ground only. Shipping charges do not include: Any charges incurred by the customer (consignee) for special handling equipment such as forklifts, machine riggers, machinery movers, installers, etc.

MSDS Sheets: and instructions for many products are available on our web site.

Prices current, March 2019: Prices subject to change without notice. All prices shown in U.S. dollars.



www.TakachPress.com

www.Shop.TakachPress.com

For further information or to place your order please call or write.

Manufacturing Facility

Phone: 1-505-242-7674
Fax: 1-505-242-3454

E-mail: info@TakachPress.com

Shipping Address:

2815 Broadway SE, Albuquerque, NM USA 87102

Walk-In Sales

2815 Broadway SE Albuquerque, NM 87102

Store Sales Hours

8:00 AM - 4:30 PM Monday - Friday

Or by special appointment.









Billing Office

Phone: 1-505-883-7318 **Fax:** 1-505-888-6988

E-mail: billing@TakachPress.com

Mailing Address:

3207 Morningside NE, Albuquerque, NM USA 87110

Paper Sales

Toll Free: 1-877-611-7197 **Local:** 1-505-275-7197 **Fax:** 1-505-508-1309

E-mail: TakachPaper@comcast.net

Web: TakachPaper.com